


CASOLUX®

The lights of tomorrow





Introduction

Over the years Casolux has shown the way to innovative design within marine lighting by focusing on individuality, reliability and quality- three words that demonstrate the assurance that we have given our customers since the company was founded in 2012.

Thanks to our excellent staff, we have continued to keep this commitment, earning a more and more prominent position year on year, in a global market for marine lights for yacht and naval vessel.

This success would not have been possible without our employees' experience, technical skills and passion for design. developing lights that are perfectly tailored to meet each customer/ yard's individual wishes and specific requirements.

The key factor that sets us apart, is by listening to our customers we are able to offer high flexibility, choice and innovation, from concept to finished product.

All processes are incorporated at our premises which include a component warehouse, product assembly, stock inventory, testing and show room.

Casolux have built their company by understanding the design and demands of marine lights, and through the pursuance of excellence, aim to become leaders within the industry.



info@casolux.com

Tlf. +45 7445 0005

Denmark - 6400 Sønderborg

CASOLUX®

The lights of tomorrow

Page

	4-17	Small Craft Lights
	18-23	Customized Reading Lights
	24-30	Reading and Wall Lights
	31-39	Mega Yacht Lights
	40-43	Motorhome Lights
	44-49	LED Strips
	50-53	Flood, Machine-room and Underwater Lights
	54	Reserve light bulbs



Suitable for Small Crafts



Suitable for Mega Yacht



Suitable for for Motorhomes



Red color light



Blue color light



Red / WW switchable light



IP grade



Lumen output per watt



Color temperature in Kelvin



Beam angle



Dimmable



USB charger



Led driver



Color rendering index



LED's lifetime



For indoor use



For indoor and outdoor




For underwater use

Disclaimer:

Casolux assumes no responsibility or liability for any errors, omissions or changes towards this catalog.

Small Craft Lights

Maria - A1



mm	SMALL	LARGE
A	69,5	86
B	40,5	55
C	4,5	4,5
D	52	70
E	19	19



Stainless Steel (SS)
Optional with brushed surface



Black (BL)



Grey (GR)




White (WH)



Product	Size	Frame	Power	Input Volt	Material
MARIA-A1	SMALL	SS / BL / GR / WH	2w	10-32 V AC/DC	SS/Alu
MARIA-A1	SMALL	SS / BL / GR / WH	2,5w	10-32 V AC/DC	SS/Alu
MARIA-A1	LARGE	SS / BL / GR / WH	3w	10-32 V AC/DC	SS/Alu

Maria - A3



mm	SMALL	LARGE
A	69,5	86
B	40,5	55
C	7	7
D	52	70
E	16	16



Stainless Steel (SS)
Optional with brushed surface



Black (BL)



Grey (GR)




White (WH)



Product	Size	Frame	Power	Input Volt	Material
MARIA-A3	SMALL	SS / BL / GR / WH	2w	10-32 V AC/DC	SS/Alu
MARIA-A3	SMALL	SS / BL / GR / WH	2,5w	10-32 V AC/DC	SS/Alu
MARIA-A3	LARGE	SS / BL / GR / WH	3w	10-32 V AC/DC	SS/Alu

Maria - A4 - 2700K - Ra90



Stainless Steel (SS)
Optional with brushed surface



Black (BL)



Grey (GR)




White (WH)



Product	Size	Frame	Power	Input Volt	Material
MARIA-A4	SMALL	SS / BL / GR / WH	2w	10-32 V AC/DC	SS/Alu

Maria - A4 - Standard



mm	SMALL	MEDIUM	LARGE
A	69,5	82	86
B	40,5	50	55
C	2	3	3
D	52	62	70
E	19	19	19




Stainless Steel (SS) Optional with brushed surface Black (BL) Grey (GR) White (WH)

IP 65	angle 120°	Lm/w 58-68	H 50 000	CCT K 3000	CRI >85	Dim PWM	Indoor/Outdoor
-------	------------	------------	----------	------------	---------	---------	----------------

Product	Size	Frame	Power	Input Volt	Material
MARIA-A4	SMALL	SS / BL / GR / WH	2w	10-32 V AC/DC	SS/Alu
MARIA-A4	SMALL	SS / BL / GR / WH	2,5w	10-32 V AC/DC	SS/Alu
MARIA-A4	MEDIUM	BL / GR / WH	2,5w	10-32 V AC/DC	Alu
MARIA-A4	LARGE	SS / BL / GR / WH	3w	10-32 V AC/DC	SS/Alu

Maria - A4 - Standard with DUO colour



mm	SMALL	LARGE
A	69,5	86
B	40,5	55
C	2	3
D	52	70
E	19	19




Stainless Steel (SS) Optional with brushed surface Black (BL) Grey (GR) White (WH)


IP 65	angle 120°	Lm/w 58-68	H 50 000	CCT K 3000	CCT WW/RED	CRI >85	Dim PWM	Indoor/Outdoor
-------	------------	------------	----------	------------	------------	---------	---------	----------------

Product	Size	Frame	Power	Input Volt	Material
MARIA-A4-DUO	SMALL	SS / BL / GR / WH	2w/0,5w	10-32 V AC/DC	SS/Alu
MARIA-A4-DUO	LARGE	SS / BL / GR / WH	3w/0,5w	10-32 V AC/DC	SS/Alu

Maria - A4 - Touch



ON / OFF with touch



mm	SMALL	LARGE
A	69,5	86
B	40,5	55
C	2	3
D	52	70
E	19	19




Stainless Steel (SS) Optional with brushed surface Black (BL) Grey (GR) White (WH)


IP 65	angle 120°	Lm/w 58-68	H 50 000	CCT K 3000	CRI >85	Dim PWM	Indoor/Outdoor
-------	------------	------------	----------	------------	---------	---------	----------------

Product	Size	Frame	Power	Input Volt	Material
MARIA-A4-CTO	SMALL	SS / BL / GR / WH	2w	10-32 V AC/DC	SS/Alu
MARIA-A4-CTO	LARGE	SS / BL / GR / WH	3w	10-32 V AC/DC	SS/Alu
MARIA-A4-DUO-CTO	SMALL	SS / BL / GR / WH	2w/0,5w	10-32 V AC/DC	SS/Alu
MARIA-A4-DUO-CTO	LARGE	SS / BL / GR / WH	3w 0,5w	10-32 V AC/DC	SS/Alu

Maria - A4 - Touch with Dim Memory



ON / OFF / DIMMING with touch. Hold for dimming.



Stainless Steel (SS) Optional with brushed surface Black (BL) Grey (GR) White (WH)


IP 65	angle 120°	Lm/w 58-68	H 50 000	CCT K 3000	CRI >85	Dim Touch Dim w/memory	Indoor/Outdoor
-------	------------	------------	----------	------------	---------	------------------------	----------------

Product	Size	Frame	Power	Input Volt	Material
MARIA-A4-CTDI	SMALL	SS / BL / GR / WH	2w	10-32 V AC/DC	SS/Alu
MARIA-A4-CTDI	SMALL	SS / BL / GR / WH	2,5w	10-32 V AC/DC	SS/Alu

Casolux Marine light



Marine light system

Maria - A4 - Small - Ø90



Product	Frame	Power	Input Volt	Material
MARIA-A4-2W	SS / BL / GR / WH	2w	10-32 V AC/DC	SS/Alu
MARIA-A4-DUO	SS / BL / GR / WH	2w / 0,5w	10-32 V AC/DC	SS/Alu
MARIA-A4-2,5W	SS / BL / GR / WH	2,5w	10-32 V AC/DC	SS/Alu
MARIA-A4-CTO	SS / BL / GR / WH	2w	10-32 V AC/DC	SS/Alu
MARIA-A4-DUO-CTO	SS / BL / GR / WH	2w / 0,5w	10-32 V AC/DC	SS/Alu
MARIA-A4-CTDI	SS / BL / GR / WH	2,5w	10-32 V AC/DC	SS/Alu

Maria - A4 - Medium - Ø90



Product	Size	Frame	Power	Input Volt	Material
MARIA-A4	Medium	SS / BL / GR / WH	2,5w	10-32 V AC/DC	SS/Alu

Copyright N. krauss/Hamburg








Maria - A4 - Xsmall



News





Product	Frame	Power	Input Volt	Material
MARIA-A4-XSMALL	SS / BL / GR / WH	0,5w	10-32 V DC	SS/Alu

Maria - A4 - 6w



News





Product	Frame	Power	Input Volt	Material
MARIA-A4-6W	SS / BL / GR / WH	6w	10-32 V DC	SS/Alu

Maria - A4 - Surface



News



Product	Frame	Power	Input Volt	Material
MARIA-A4-SURFACE	SS / WH	2w	10-32 V DC	SS/Alu
MARIA-A4-SURFACE-CTO	SS / WH	2w	10-32 V DC	SS/Alu
MARIA-A4-SURFACE-CTDI	SS / WH	2w	10-32 V DC	SS/Alu

Casolux Marine light

Marine light system

Copyright N. krauss/Hamburg




Malou Controller IP20



ON / OFF
Press for
Dimming.

WW/RED: Double
click to change
colour.



Stainless steel (SS)



Stainless steel
Painted White (SS-WH)



Stainless steel
Painted Black (SS-BL)

One Controller can control up to 15 receivers.




Product	Frame	Power	Input Volt	Material
MALOU-MA	SS / SS-WH / SS-BL	3w	9-32 V DC	SS/Alu
MALOU-MA-DUO	SS / SS-WH / SS-BL	3w / 3w	9-32 V DC	SS/Alu

Malou Controller IP64



ON / OFF
Press for
Dimming.

WW/RED: Double
click to change
colour.



Stainless steel (SS)



Stainless steel
Painted White (SS-WH)




Stainless steel
Painted Black (SS-BL)

One Controller can control up to 15 receivers.



Product	Frame	Power	Input Volt	Material
MALOU-MA-IP64	SS / SS-WH / SS-BL	3w	9-32 V DC	SS/Alu
MALOU-MA-IP64-DUO	SS / SS-WH / SS-BL	3w / 3w	9-32 V DC	SS/Alu

Malou Receiver



Stainless steel (SS)



Stainless steel
Painted White (SS-WH)



Stainless steel
Painted Black (SS-BL)



Product	Frame	Power	Input Volt	Material
MALOU-SL	SS / SS-WH / SS-BL	3w	9-32 V DC	SS/Alu
MALOU-SL-DUO	SS / SS-WH / SS-BL	3w / 3w	9-32 V DC	SS/Alu




Malou Controller IP20 - Surface mounted



ON / OFF
Press for
Dimming.

WW/RED: Double
click to change
colour.



Stainless steel (SS)

One Controller can control up to 15 receivers.




Product	Frame	Power	Input Volt	Material
MALOU-MA-SURFACE	SS	3w	9-32 V DC	SS/Alu
MALOU-MA-SURFACE-DUO	SS	3w/3w	9-32 V DC	SS/Alu

Malou Controller IP64 - Surface mounted



ON / OFF
Press for
Dimming.

WW/RED: Double
click to change
colour.




Stainless steel (SS)

One Controller can control up to 15 receivers.



Product	Frame	Power	Input Volt	Material
MALOU-MA-IP64-SUR	SS	3w	9-32 V DC	SS/Alu
MALOU-MA-IP64-SUR-DUO	SS	3w/3w	9-32 V DC	SS/Alu

Malou Receiver - Surface mounted



Stainless steel (SS)




Product	Frame	Power	Input Volt	Material
MALOU-SL-SUR	SS	3w	9-32 V DC	SS/Alu
MALOU-SL-SUR-DUO	SS	3w/3w	9-32 V DC	SS/Alu

Maja - Surface mounted




47,5mm between screw holes



SMALL

47,5mm between screw holes



LARGE



MAJA-SURFACE-SMALL
Stainless steel (SS)

MAJA-SURFACE-LARGE
Stainless steel (SS)




Product	Frame	Power	Input	Material
MAJA-SURFACE-SMALL	SS	3,6w	10-32 V DC	SS/Alu
MAJA-SURFACE-SMALL DUO	SS	3,6w/1,8w	10-32 V DC	SS/Alu
MAJA-SURFACE-LARGE	SS	3,6w	10-32 V DC	SS/Alu
MAJA-SURFACE-LARGE DUO	SS	3,6w/1,8w	10-32 V DC	SS/Alu

Large version is only manufactured on request. Contact Casolux for more information.

Maggi - Surface mounted



47,5mm between screw holes



Ø15,5mm



Stainless steel (SS)



Product	Frame	Power	Input	Material
MAGGI-SURFACE	SS	3w	10-18 V DC Optional 10-32 V DC	SS/Alu

Only manufactured on request. Contact Casolux for more information.

Medina - Surface mounted



34,5mm between screw holes



Ø41




Aluminium Grey (GR)



Product	Frame	Power	Input	Material
MEDINA-SURFACE	GR	1w	10-32 V DC	Alu

Maja Round



Stainless steel (SS)




Stainless steel
Painted White (SS-WH)



Product	Frame	Power	Input Volt	Material
MAJA-ROUND	SS / SS-WH	3,6w	10-32 V DC	SS/Alu
MARIA-ROUND-DUO	SS / SS-WH	3,6w/1,8w	10-32 V DC	SS/Alu

Maja Square



Stainless steel (SS)



Stainless steel
Painted White (SS-WH)




Product	Frame	Power	Input Volt	Material
MAJA-SQUARE	SS / SS-WH	3,6w	10-32 V DC	SS/Alu
MARIA-SQUARE-DUO	SS / SS-WH	3,6w/1,8w	10-32 V DC	SS/Alu

Maggi Small




White (WH)



Product	IP	CCT	Frame	Power	Input Volt	Material
MAGGI	44	2700K	WH	3,5w	10-32 V DC	Alu
MAGGI	66	3000K	WH	3w	10-32 V DC	Alu


Maggi Ø69



Product	Frame	Power	Input Volt	Material
MAGGI-LARGE	SS	3w	10-18 V DC	SS/Alu

Only manufactured on request. Contact Casolux for more information.


Mie



IP	angle	Lm/w	H	CCT	CRI	Dim	Indoor/Outdoor
54	25°	343	40 000	2700 K	>85	PWM	Indoor

Product	Frame	Power	Input Volt	Material
MIE	WH	3w	10-30 V DC	Alu

Magda




Stainless Steel (SS)

IP	angle	Lm/w	H	CCT	CRI	Dim	Indoor/Outdoor
65	90°	75	40 000	3000 K	>85	PWM	Indoor/Outdoor

Product	Frame	Power	Input Volt	Material
MAGDA	SS	4,4w	10-30 V DC	SS/Alu


Malou 82



Square frame front.




Stainless steel (SS)



Stainless steel Painted White (SS-WH)



Stainless steel Painted Black (SS-BL)



SQUARE RECT FRAME



SQUARE OVAL FRAME


Optional with square frame.

IP	angle	Lm/w	H	CCT	CCT	CRI	Dim	Indoor/Outdoor
65	120°	95	50 000	3000 K	WW/RED	>85	PWM	Indoor/Outdoor

Product	Frame	Power	Input	Material
MALOU-82	SS / SS-WH / SS-BL	4,5w	10-32 V DC	SS/Alu
MALOU-82-DUO	SS / SS-WH / SS-BL	3,6w/0,6w	10-32 V DC	SS/Alu



Mathilde Small





Aluminium (Alu)



Product	Frame	Power	Input Volt	Material
MATHILDE-SMALL	Alu	1,2w	350mA / 10-30 V DC	Alu

Only manufactured on request. Contact Casolux for more information.

Mathilde Sphere




Stainless Steel (SS)



Product	Frame	Power	Input Volt	Material
MATHILDE-SPHERE	SS	1,5w	10-32 V DC	SS/Alu

Only manufactured on request. Contact Casolux for more information.

Mathilde




Stainless Steel (SS)



Product	Frame	Power	Input Volt	Material
MATHILDE	SS	2,4w	10-32 V DC	SS/Alu

Mathilde Large



Stainless Steel (SS)
Round (RO)




Stainless Steel (SS)
Square (SQ)



Product	Frame	Power	Input Volt	Material
MATHILDE-LARGE-RO	SS	4w	10-32 V DC	SS/Alu
MATHILDE-LARGE-SQ	SS	4w	10-32 V DC	SS/Alu

Only manufactured on request. Contact Casolux for more information.

Marina Push Up Table light




Stainless Steel (SS)



Product	Power	Input	Material
MARINA	4w	10-32 V DC	SS

Merle front




Stainless Steel (SS)
Optional with brushed surface



Product	Power	Input	Material
MERLE-FRONT-3000K	0,5w	10-18 V DC / 18-30 V DC / 10-30 V DC	SS
MERLE-FRONT-RED	0,5w	10-18 V DC / 18-30 V DC / 10-30 V DC	SS
MERLE-FRONT-BLUE	0,5w	10-18 V DC / 18-30 V DC / 10-30 V DC	SS

Merle down





Stainless Steel (SS)
Optional with brushed surface



Product	Power	Input	Material
MERLE-DOWN-3000K	0,5w	10-18 V DC / 18-30 V DC / 10-30 V DC	SS
MERLE-DOWN-RED	0,5w	10-18 V DC / 18-30 V DC / 10-30 V DC	SS
MERLE-DOWN-BLUE	0,5w	10-18 V DC / 18-30 V DC / 10-30 V DC	SS
MERLE-DOWN-DUO	0,5w / 0,5w	10-18 V DC / 18-30 V DC	SS

Cleo Special



CLWO-SPECIAL-SQUARE
Stainless Steel (SS)


CLEO-SPECIAL-ROUND
Stainless Steel (SS)

Can be manufactured
on request



Product	CCT	Power	Input	Material
CLEO-SPECIAL-ROUND	3000K	3w	10-32 V DC	Alu/SS
CLEO-SPECIAL-SQUARE-WW	3000K	3w	10-32 V DC	Alu/SS
CLEO-SPECIAL-SQUARE-CW	4000K	3w	10-32 V DC	Alu/SS

Cleo Round



Stainless Steel (SS)



Stainless Steel painted White (SS-WH)




Stainless Steel painted Black (SS-BL)



Product	Frame	Power	Input Volt	Material
CLEO-ROUND	SS / SS-WH / SS-BL	0,6w	9-32 V DC	SS/Plastic

Cleo Round 25°



Stainless Steel (SS)



Stainless Steel painted White (SS-WH)





Stainless Steel painted Black (SS-BL)



Product	Frame	Power	Input Volt	Material
CLEO-ROUND-25	SS / SS-WH / SS-BL	0,6w	9-32 V DC	SS/Plastic

Cleo Square



Stainless Steel (SS)



Stainless Steel painted White (SS-WH)




Stainless Steel painted Black (SS-BL)




Product	Frame	Power	Input Volt	Material
CLEO-SQUARE	SS / SS-WH / SS-BL	0,6w	9-32 V DC	SS/Plastic

Cleo Square 34°



Stainless Steel (SS)



Stainless Steel painted White (SS-WH)



Stainless Steel painted Black (SS-BL)




Product	Frame	Power	Input Volt	Material
CLEO-SQUARE-34	SS / SS-WH / SS-BL	0,6w	9-32 V DC	SS/Plastic

Casolux Marine light

Marine light system

Mille




Stainless Steel (SS)



Product	Power	Input	Material
MILLE-3000K	0,2w	10-30 V DC	SS
MILLE-RED	0,2w	10-30 V DC	SS
MILLE-BLUE	0,2w	10-30 V DC	SS

Milla



MILLA-ROUND
Stainless Steel (SS)




MILLA-SQUARE
Stainless Steel (SS)



Product	Frame	Power	Input	Material
MILLA-ROUND	SS	1,2w	10-32 V DC	Alu/SS
MILLA-SQUARE	SS	1,2w	10-32 V DC	Alu/SS

Only manufactured on request. Contact Casolux for more information.

Milo Half




Stainless Steel (SS)



Product	Frame	Power	Input	Material
MILO-HALF	SS	1,5w	10-32 V DC	SS

Only manufactured on request. Contact Casolux for more information.

Milo




Stainless Steel (SS)



Product	Frame	Power	Input	Material
MILO	SS	1,5w	10-32 V DC	SS

Only manufactured on request. Contact Casolux for more information.

Mateo



MATEO-ROUND
Stainless Steel (SS)




MATEO-SQUARE
Stainless Steel (SS)



Product	Frame	Power	Input	Material
MATEO-ROUND	SS	1,2w	10-32 V DC	Alu/SS
MATEO-SQUARE	SS	1,2w	10-32 V DC	Alu/SS

Only manufactured on request. Contact Casolux for more information.

Mai




Stainless Steel (SS)



Product	Power	Input	Material
MAI-SMALL	0,3w	10-32V DC	SS

Max Standard




Stainless Steel (SS)

Start with Red light On / Off, Blue light On / Off, White light On / Off



Product	Power	Input	Material
MAX-STANDARD-WW	2,6w	10-32V DC	SS
MAX-STANDARD-WW-R-B	2,6w / 1w / 1w	10-32V DC	SS

Max Special



Stainless Steel (SS)
Clear lens (CL)



Stainless Steel (SS)
Milky lens (ML)

Start with White light On / Off, Red light On / Off



Product	Power	Input	Material
MAX-SPECIAL-CL	2,6w / 1w	10-32V DC	SS
MAX-SPECIAL-ML	2,6w / 1w	10-32V DC	SS

Customized Reading lights in stainless steel

Malene, Martha and Mary stainless steel lights can be customized
with different base and flexarm after your desire and needs

The lamp head and flexarm can be assembled
with 2 different versions of lamp bases.
Wall model for mounting on a vertical surface and
Table model for mounting on a horizontal surface.

Lamp bases have USB A or USB C charger.

All flexarms are made with stainless steel
inner core and brass chrome plate outside.
Flexarm can be covered with leather or
silicone in different color available to match
your specific design style, or a specific
color can be customized on request.

White Silicone



Black Silicone



Chrome



Customized Reading lights in aluminium

Malene and Mary aluminium lights can be customized
with different base and flexarm after your desire and needs

Our flexarms come in basic lengths of
130mm, 200mm and 290mm, however
other lengths can be customized on request.



Black Leather

Light Brown Leather

Dark Brown Leather




	Short code	Standard	Small	Mini
 White Silicone	S-WH	290mm	200mm	130mm
 Black Silicone	S-BL	290mm	200mm	130mm
 Stainless Steel	SS	290mm	200mm	130mm
 Black Leather	L-BL	290mm	200mm	130mm
 Light Brown Leather	L-LIBR	290mm	200mm	130mm
 Dark Brown Leather	L-DRBR	290mm	200mm	130mm

Casolux Marine light

Marine light system

Copyright N. Krauss/Hamburg




On / Off Touch switch.
Hold for dimming.

Dimming function remember your last setting after being turned off.

	Short code	Standard	Small	Mini
White Silicone	S-WH	290mm	200mm	130mm
Black Silicone	S-BL	290mm	200mm	130mm
Stainless Steel	SS	290mm	200mm	130mm
Black Leather	L-BL	290mm	200mm	130mm
Light Brown Leather	L-LIBR	290mm	200mm	130mm
Dark Brown Leather	L-DRBR	290mm	200mm	130mm

Martha Wall - w/USB / Touch Dim / Memory



MARTHA-WALL
Stainless steel (SS)




USB-A

USB-C

IP 20	angle 40°	Lm/w 93	H 50 000	CCT K 3000	CRI >90	Dim Touch Dim w/memory	Indoor	USB 5V, 2Am
-------	-----------	---------	----------	------------	---------	------------------------	--------	-------------

Product	Finish	Power	Input	Material
MARTHA-WALL-USB-A	SS	1,5w	10-30 V DC	SS
MARTHA-WALL-USB-C	SS	1,8w	10-30 V DC	SS

Martha Glass Wall - w/USB / Touch Dim / Memory



MARTHA-GLASS-WALL
Stainless steel
Mirror polished (SS-PO)



USB-A

USB-C




MARTHA-GLASS-WALL
Stainless steel
Brushed surface (SS-BR)

IP 20	angle 40°	Lm/w 50	H 50 000	CCT K 3000	CRI >90	Dim Touch Dim w/memory	Indoor	USB 5V, 2Am
-------	-----------	---------	----------	------------	---------	------------------------	--------	-------------

Product	Finish	Power	Input	Material
MARTHA-GLASS-WALL-USB-A	SS-PO / SS-BR	2,5w	10-30 V DC	SS
MARTHA-GLASS-WALL-USB-C	SS-PO	2,5w	10-30 V DC	SS

Mary Wall - w/USB / Touch Dim / Memory



MARY-WALL
Stainless Steel (SS)



MARY-WALL
Black (BL)




MARY-WALL
Grey (GR)

IP 20	angle 40°	Lm/w 93	Lm/w 87	H 40 000	CCT K 3000	CRI >90	Dim Touch Dim w/memory	Indoor	USB 5V, 2Am
-------	-----------	---------	---------	----------	------------	---------	------------------------	--------	-------------

Product	Finish	Power	Input	Material
MARY-WALL	SS	1,8w	10-30 V DC	SS
MARY-WALL	BL / GR	1,5w	10-30 V DC	Alu

Martha-Circlebase - w/USB-C / Touch Dim / Memory



On / Off Touch switch.
Hold for dimming.


Dimming function
remember your last
setting after being
turned off.



Product	Flex	Power	Input	Material
MARTHA-CB-FLEX	L-BL-290	2,5w	10-30 V DC	SS


Only manufactured on request. Contact Casolux for more information.

Martha Flex - w/USB / Touch Dim / Memory




Product	Flex	Power	Input	Material
MARTHA-FLEX-TABLEBASE	SS-290	1,5w	10-30 V DC	SS
MARTHA-FLEX- WALLBASE	SS-290	1,5w	10-30 V DC	SS

Martha Glass Flex - w/USB / Touch Dim / Memory



Product	Flex	Power	Input	Material
MARTHA-GLASS-FLEX-TABLEBASE	SS-290	1,5 / 2,5w	10-30 V DC	SS
MARTHA-GLASS-FLEX- WALLBASE	SS-290	1,5 / 2,5w	10-30 V DC	SS

Mary Flex - w/USB / Touch Dim / Memory



Product	Flex	Power	Input	Material
MARY-FLEX-SS-TABLEBASE	SS-290	1,8w	10-30 V DC	SS
MARY-FLEX-SS-WALLBASE	SS-290	1,8w	10-30 V DC	SS
MARY-FLEX-BL-TABLEBASE	SS-200	1,5w	10-30 V DC	Alu
MARY-FLEX-GR-TABLEBASE	SS-200	1,5w	10-30 V DC	Alu

Casolux Marine light

Marine light system



Copyright N. krauss/Hamburg




Touch switch to change between white and red light.

Hold for dimming on white light.

Dimming function remember your last setting after being turned off.

	Short code	Standard	Small	Mini
White Silicone	S-WH	290mm	200mm	130mm
Black Silicone	S-BL	290mm	200mm	130mm
Stainless Steel	SS	290mm	200mm	130mm
Black Leather	L-BL	290mm	200mm	130mm
Light Brown Leather	L-LIBR	290mm	200mm	130mm
Dark Brown Leather	L-DRBR	290mm	200mm	130mm

Malene Stainless Steel - w/USB / Touch Dim / Memory



MALENE TABLE
Stainless steel (SS)
Flex S5-290mm



MALENE WALL
Stainless steel SS
Flex L-DRBR-290mm




TABLEBASE

WALLBASE



Product	Flex	Power	Input	Material
MALENE-TABLE-SS	SS-290	2w	10-29 V DC	SS
MALENE-WALL-SS	L-DRBR-290	2w	10-29 V DC	SS

Malene Black Aluminium - w/USB / Touch Dim / Memory



MALENE-TABLE-BLACK
Flex S-BL 290mm



MALENE-WALL-BLACK
Flex L-BL 290mm




TABLEBASE

WALLBASE



Product	Flex	Power	Input	Material
MALENE-TABLE-BLACK	S-BL-290	2w	10-29 V DC	Alu
MALENE-WALL-BLACK	L-BL-290	2w	10-29 V DC	SS

Malene Flatbase - Touch Dim / Memory




MALENE FLATBASE
Stainless steel (SS)
Flex S-WH-290mm





Product	Flex	Power	Input	Material
MALENE-FLATBASE-SS	S-WH-290	2w	10-29 V DC	SS

Malene Circle Base - w/USB / Touch Dim / Memory




Product	Flex	Power	Input	Material
MALENE-CB-BL	L-BL-290	2w	10-29 V DC	ALU
MALENE-CB-CH	S-BL-290	2w	10-29 V DC	SS / ALU

Malene Screwless Table - w/USB / Touch Dim / Memory



Product	Flex	Power	Input	Material
MALENE-SL-BL-TABLE	S-BL-290	2w	10-29 V DC	ALU

Malene Screwless Wall - w/USB / Touch Dim / Memory



MALENE SL A WALL
Stainless Steel (SS)
Flex L-BL-290mm



Product	Flex	Power	Input	Material
MALENE-SL-WH-WALL	S-WH-290	2w	10-29 V DC	ALU
MALENE-SL-A-SS-WALL	L-BL-290	2w	10-29 V DC	ALU

Casolux Marine light

Marine light system


Copyright N. krauss/Hamburg




Megane-Screwless-Zoom - SS w/USB / Touch Dim / Memory



News



With USB C




IP 20	Lm/w 75	 H 30 000	CCT 3000 K	CRI 80	Dim Touch Dim w/memory	 Indoor	USB 5V, 2A
-----------------	-------------------	--	-----------------------------	------------------	-------------------------------------	---	----------------------

Product	Power	Input	Material
MEGANE-SL-Z-SS	1,8w	9-32 V DC	SS

Megane-Screwless - SS w/Touch Dim / Memory



News



 IP 20	 angle 40°	 Lm/w 75	 H 30 000	 CCT 3000 K	 CRI >85	 Dim Touch Dim w/memory	 Indoor
---	---	---	---	--	---	---	---


Product	Power	Input	Material
MEGANE-SL-SS	1,8w	9-32 V DC	SS



Megane-Screwless-Zoom ALU w/USB / Touch Dim / Memory



News




WHITE (WH)



BLACK (BL)
Zoomed In



BLACK (BL)




 IP 20	 Lm/w 75	 H 30 000	 CCT 3000	 CRI >80	 Dim Touch Dim w/memory	 Indoor	 USB 5V, 2Am
---	---	--	--	---	--	---	---

Product	Power	Input	Material
MEGANE-SL-Z-WH	1,8w	9-32 V DC	Alu
MEGANE-SL-Z-BL	1,8w	9-32 V DC	Alu

Megane-Screwless ALU w/Touch Dim / Memory



News



 IP 20	 angle 40°	 Lm/w 75	 H 30 000	 CCT 3000 K	 CRI >85	 Dim Touch Dim w/memory	 Indoor
---	---	---	---	--	---	---	---

Product	Power	Input	Material
MEGANE-SL-WH	1,8w	9-32 V DC	Alu
MEGANE-SL-BL	1,8w	9-32 V DC	Alu


Casolux Marine light

Marine light system

Mary EL Aluminium



News



Light Zoomed out



Light Zoomed in



Bottom




Product	Power	Input	Material
MARY-Z-EL-TO-BL-USBC	1,8w	9-32 V DC	Alu

Mary EL Stainless Steel



News



Light Zoomed out



Light Zoomed in



Bottom




Product	Power	Input	Material
MARY-Z-EL-TO-SS-USBC	1,8w	9-32 V DC	ALU/SS

Mary Wall Screwless



News



USB C

Grey Aluminium (GR)




Product	Frame	Power	Input	Material
MARY-SL-SS-WALL	SS	1,8w	9-32 V DC	SS
MARY-SL-GR-WALL	ALU	1,8w	9-32 V DC	ALU

Mary Flex Mini Screwless - w/USB / Touch Dim / Memory



News




USB C



Product	Flex	Power	Input	Material
MARY-SL-GR-FLEX-MINI	S-BL-130	1,8w	9-32V DC	Alu

Mary Flex Mini - w/USB / Touch Dim / Memory



Stainless steel (SS) polished


Grey (GR)

Black (BL)



Product	Flex	Power	Input	Material
MARY-SS-FLEX-MINI	S-BL 130	1,8w	10-30V DC	SS
MARY-BL-FLEX-MINI	S-BL-130	1,5w	10-30V DC	Alu
MARY-GR-FLEX-MINI	S-BL-130	1,5w	10-30V DC	Alu

Mary Wall - Classic version




Aluminum Gray (GR)

Aluminum Black (BL)



Product	Frame	Power	Input	Material
MARY-WALL-CLASSIC	GR	2w	10-30 V DC	Alu
MARY-WALL-CLASSIC	BL	2w	10-30 V DC	Alu

Mary Flex Mini - Classic version



Stainless steel Brushed (SS-BR)


Grey (GR)

Black (BL)



Product	Power	Input	Material
MARY-MINI-CLASSIC-SS-BR	1,5w	10-30 V DC	SS
MARY-MINI-CLASSIC-(GR / BL)	2w	10-30 V DC	Alu

Mary Flex - Classic version



Stainless steel (SS) polished

Black (BL)

Grey (GR)




Product	Power	Input	Material
MARY-CLASSIC-SS	1,5w	10-30 V DC	SS
MARY-CLASSIC-(GR / BL)	2w	10-30 V DC	Alu

Oculus-Screwless




News




Product	Power	Input	Material
OCULUS-SL	3w	10-30 V DC	SS / Alu
Only manufactured on request. Contact Casolux for more information.			

Zoom-Screwless-Flex





With USB C



Product	Power	Input	Material
ZOOM-FLEX	1,8w	10-30 V DC	Alu
Only manufactured on request. Contact Casolux for more information.			



Zoom-Screwless



Product	Power	Input	Material
ZOOM	1,8w	10-30 V DC	Alu




Waco-Screwless



IP 54	angle 40°	Lm/w 90	H 50 000	CCT K 3000	CRI >80	Dim PWM	Indoor
-----------------	---------------------	-------------------	--------------------	-------------------------	-------------------	-------------------	---------------

Product	Power	Input	Material
WACO-TOUCH-DOWN	3w	10-30 V DC	Alu

Samsoe




Black (BL)

IP 67	angle 40°	Lm/w 83	H 40 000	CCT K 3000	CCT K 4000	CRI >85	Indoor/Outdoor
-----------------	---------------------	-------------------	--------------------	-------------------------	-------------------------	-------------------	-----------------------

Product	Power	Input	Material
SAMSOE-FLEX-CW	3w	10-30 V DC	Alu
SAMSOE-FLEX-WW	3w	10-30 V DC	Alu

Mary Flex Special



Black (BL)

IP 20	angle 45°	Lm/w 80	H 40 000	CCT K 3000	CRI >83	Indoor
-----------------	---------------------	-------------------	--------------------	-------------------------	-------------------	---------------

Product	Power	Input	Material
MARY-FLEX-SPECIAL	2w	10-30 V DC	Alu




Casolux Marine light

Marine light system

Mary up/down



News



Aluminium Black with Stainless steel (SS) Case



Aluminium Black (BL)




Aluminium Silver (SI)
No Switch

News



Product	Frame	Power	Input	Material
MARY-UP-DOWN	SS	2 x 3w	10-30 V DC	Alu/SS
MARY-UP-DOWN	BL	2 x 3w	10-30 V DC	Alu
MARY-UP-DOWN	SI	2 x 5w	24 V DC	Alu

Wallis Round - w/USB and Touch switch




mm	SMALL	LARGE
A	137	185
B	128	140
C	Ø110	Ø160
D	100	155



WALLIS-SMALL-ROUND



WALLIS-LARGE-ROUND




Stainless steel with fabric lamp shade



Product	Power	Input	Material
WALLIS-SMALL-ROUND	G4 LED Bulb 1,5w	10-30 V DC	SS
WALLIS-LARGE-ROUND	G4 LED Bulb 1,5w	10-30 V DC	SS

Wallis Square - w/USB and Touch switch




mm	SMALL	LARGE
A	137	185
B	128	140
C1	110	160
C2	150	160
D	100	115




WALLIS-SMALL-SQUARE



WALLIS-LARGE-SQUARE





Stainless steel with fabric lamp shade



Product	Power	Input	Material
WALLIS-SMALL-SQUARE	G4 LED Bulb 1,5w	10-30 V DC	SS
WALLIS-LARGE-SQUARE	G4 LED Bulb 1,5w	10-30 V DC	SS

Wallis Special - w/USB and Touch switch



Stainless steel with fabric lamp shade



Product	Power	Input	Material
WALLIS-SPECIAL	G4 LED Bulb 1,5w	10-30 V DC	SS

Only manufactured on request. Contact Casolux for more information.




Mega Yacht lights

Willa




Wanda



Stainless steel with fabric lamp shade



Product code	LED bulb input / Power	Bulb Input / Power
WILLA	10-30 DC / G4 LED bulb 1,2w	230 AC / E14 Bulb max 40w
Only manufactured on request. Contact Casolux for more information.		



Stainless steel with fabric lamp shade




Product code	LED bulb input / Power	Bulb Input / Power
WANDA-BED	10-30 DC / G4 LED bulb 1,2w	230 AC / E27 Bulb max 40w
Only manufactured on request. Contact Casolux for more information.		


Winnie




Whitney



Stainless steel with fabric lamp shade



Product code	LED bulb input / Power	Bulb Input / Power
WINNIE	10-30 DC / G4 LED bulb 1,2w	230 AC / E14 Bulb max 40w
Only manufactured on request. Contact Casolux for more information.		



Stainless steel with fabric lamp shade




Product code	LED bulb input / Power	Bulb Input / Power
WHITNEY	10-30 DC / G4 LED bulb 1,2w	230 AC / E14 Bulb max 40w
Only manufactured on request. Contact Casolux for more information.		


Wendy




Theresa



Stainless steel with fabric lamp shade



Product code	LED bulb input / Power	Bulb Input / Power
WENDY	10-30 DC / G4 LED bulb 1,2w	230 AC / E14 Bulb max 40w
Only manufactured on request. Contact Casolux for more information.		



Stainless steel with fabric lamp shade




Product code	LED bulb input / Power	Bulb Input / Power
THERESA	10-30 DC / G4 LED bulb 1,2w	230 AC / E27 Bulb max 60w
Only manufactured on request. Contact Casolux for more information.		

Casolux Marine light

Marine light system

Win up/down





Optional with only light upwards or downwards



Product	Power	Input	Material
WIN-UP/DOWN	2xGU10 max35w	230 AC / Optional 10-30 V DC	SS

Only manufactured on request. Contact Casolux for more information.


Marian up/down



Product	Power	Input	Material
MARIAN-UP/DOWN	2x3w	10-18 V DC / 20-28 V DC	SS

Only manufactured on request. Contact Casolux for more information.



Waki up/down



Product	Power	Input	Material
WAKI-UP/DOWN	1,2w	230 AC / Optional 10-30 V DC	SS

Only manufactured on request. Contact Casolux for more information.



Waki tube



Product	Power	Input	Material
WAKI-TUBE	5w	230 AC / Optional 10-30 V DC	SS

Only manufactured on request. Contact Casolux for more information.


Wilma



Product	Power	Input	Material
WILMA	3w	230 AC / Optional 10-30 V DC	SS

Only manufactured on request. Contact Casolux for more information.

Giulia




Can be made with printed-film surface with any requested motiv.



Product	Power	Input	Material
GIULIA-SS	3w	230 AC / Optional 10-30 V DC	SS/Acrylic

Only manufactured on request. Contact Casolux for more information.

Hanne small up/down




Optional in round shape and other sizes



Product	Power	Input	Material
HANNE-S-UP/DOWN	2x3w	230 AC / Optional 10-30 V DC	Alu

Only manufactured on request. Contact Casolux for more information.

Ward




Product	Power	Input	Material
Ward	1w	350mA	Alu/SS

Only manufactured on request. Contact Casolux for more information.



West Up/Down



mm	A	B	C	D
S	100	100	50	60
M	80	100	50	60
L	80	150	50	60




IP	angle	Lm/w	H	CCT	CRI	Indoor/Outdoor
65	2x60°	85	50 000	3000 K	>80	Indoor/Outdoor

Product	Power	Input	Material
WEST-UP/DOWN-S	2x5w	220-240 V AC	SS
WEST-UP/DOWN-M	2x5w	220-240 V AC	SS
WEST-UP/DOWN-L	2x5w	220-240 V AC	SS

Only manufactured on request. Contact Casolux for more information.

West Special Up/Down



mm	A	B	C	D
S	80	150	50	60
L	100	200	50	60




IP	angle	Lm/w	H	CCT	CRI	Indoor
20	2x60°	115	50 000	3000 K	>80	Indoor

Product	Power	Input	Material
WEST-SPECIAL-S	2x5w	220-240 V AC	SS
WEST-SPECIAL-L	2x5w	220-240 V AC	SS

Only manufactured on request. Contact Casolux for more information.

West Square Up/Down



mm	A	B	C	D
S	80	100	50	60
M	100	100	50	60




IP	angle	Lm/w	H	CCT	CRI	Indoor/Outdoor
65	2x60°	86	50 000	3000 K	>80	Indoor/Outdoor

Product	Power	Input	Material
WEST-SQUARE-S	2x5w	220-240 V AC	SS
WEST-SQUARE-M	2x5w	220-240 V AC	SS

Only manufactured on request. Contact Casolux for more information.

West Surface



mm	SMALL	LARGE
A	80	150
B	120	300




IP	angle	Lm/w	H	CCT	CRI	Indoor/Outdoor
65	60°	110	50 000	3000 K	>80	Indoor/Outdoor

Product	Power	Input	Material
WEST-SURFACE-S	5w	220-240 V AC	SS
WEST-SURFACE-L	15w	220-240 V AC	SS

Only manufactured on request. Contact Casolux for more information.

Wade Special




Ø28



IP	Lm/w	H	CCT	K	CRI	Indoor	USB
20	60	50 000	3000		>80	Indoor	5V, 1Am

Product	Power	Input	Material
WADE-SPECIAL	3w	220-240 V AC	Alu/SS
Only manufactured on request. Contact Casolux for more information.			

Wade Small Round



WADE-SMALL
Ø25mm




WADE-SMALL
Ø28mm

IP	Lm/w	H	CCT	K	Indoor
20	85	50 000	3000		Indoor

Product	Power	Input	Material
WADE-S-Ø25	1w	220-240 V AC	Alu/SS
WADE-S-Ø28	1w	220-240 V AC	Alu/SS
Only manufactured on request. Contact Casolux for more information.			

Wade Small Square




WADE-SQUARE
25x25

IP	Lm/w	H	CCT	K	Indoor
20	85	50 000	3000		Indoor

Product	Power	Input	Material
WADE-S-SQUARE	1w	220-240 V AC	Alu/SS
Only manufactured on request. Contact Casolux for more information.			

Wade Large




IP	Lm/w	H	CCT	K	Indoor	USB
20	41	50 000	3000		Indoor	5V, 1Am

Product	Power	Input	Material
WADE-L	3w	220-240 V AC	Alu/SS
Only manufactured on request. Contact Casolux for more information.			



Wade Surface



IP	Lm/w	H	CCT	K	Indoor	USB
20	113	50 000	3000			5V, 1A


Product	Power	Input	Material
WADE-SURFACE	1w	220-240 V AC	Alu/SS

Only manufactured on request. Contact Casolux for more information.

Wai Small



Small



IP	Lm/w	H	CCT	K	Indoor
20	85	50 000	3000		


Product	Power	Input	Material
WAI-SMALL	3w	220-240 V AC	Alu/SS

Only manufactured on request. Contact Casolux for more information.

Wai Large



Large




IP	Lm/w	H	CCT	K	Indoor
20	48	50 000	3000		

Product	Power	Input	Material
WAI-LARGE	1w	220-240 V AC	Alu/SS

Only manufactured on request. Contact Casolux for more information.

Wren



IP	Lm/w	H	CCT	K	Indoor
20	87	50 000	3000		


Product	Power	Input	Material
WREN	3w	220-240 V AC	SS

Only manufactured on request. Contact Casolux for more information.

Casolux Marine light

Marine light system



Winry



Product	Power	Input	Material
WINRY	3w+2,2w	220-240 V AC	Alu/SS

Only manufactured on request. Contact Casolux for more information.

Wright




Product	Power	Input	Material
WRIGHT	3w	220-240 V AC	Alu/SS

Only manufactured on request. Contact Casolux for more information.

Olivia square



OLIVIA SQUARE SMALL
Stainless steel (SS)




OLIVIA SQUARE
Aluminium White (Alu-WH)




Product	IP	Frame	Power	Input	Material
OLIVIA-SQ-SMALL	67	SS	3w	12-24 V DC	SS
OLIVIA-SQUARE	65	Alu-WH	3w	230 AC / 12-24 V DC	Alu

Only manufactured on request. Contact Casolux for more information.

Olivia round



OLIVIA ROUND SMALL
Stainless steel (SS)



OLIVIA ROUND
Aluminium White (Alu-WH)



OLIVIA ROUND SMALL
Aluminium White (Alu-WH)




Product	IP	Frame	Power	Input	Material
OLIVIA-RO-SMALL	67	SS	3w	12-24 V DC	SS
OLIVIA-RO-SMALL	65	Alu-WH	3w	230 AC / 12-24 V DC	Alu
OLIVIA-ROUND	65	Alu-WH	3w	230 AC / 12-24 V DC	Alu

Only manufactured on request. Contact Casolux for more information.



Bedside 230v




VERSION A

VERSION B



Product	Power (LED)	Input	Material
BEDSIDE-WH-A	1,8w	220-240 V AC	Alu/SS
BEDSIDE-WH-B	1,8w	220-240 V AC	Alu/SS

Bedside - Wireless charger



White

Black

Wireless charger and USB charger



Product	Frame	Power	Input	Material
BEDSIDE-WIRELESS-BLACK	Alu	1,5w	230 AC / 10-32 V DC	Alu
BEDSIDE-WIRELESS-WHITE	Alu	1,5w	230 AC / 10-32 V DC	Alu


Only manufactured on request. Contact Casolux for more information.



Casolux Marine light

Marine light system

Malou 90




Stainless steel (SS)



Product	Frame	Power	Input	Material
MALOU-90	SS	6w	500mA	SS/Alu
MALOU-90-DUO	SS	6w/6w	500mA	SS/Alu

Only manufactured on request. Contact Casolux for more information.

Gitte




Available with different fronts



Product	Beam angle	Frame	Power	Input	Material
GITTE	120°	Alu	6w	350mA	SS/Alu

Only manufactured on request. Contact Casolux for more information.


Dita



Product	Frame	Power	Input	Material
DITA	Alu-BL	15w	200-240 V AC	Alu

Only manufactured on request. Contact Casolux for more information.

Dita Double Square





Product	Frame	Power	Input	Material
DITA-DOUBLE-SQ	Alu-BL	12w	200-240 V AC	Alu

Only manufactured on request. Contact Casolux for more information.




Lilleholm 90



IP	angle	Lm/w	H	CCT K	CCT K	CCT	CRI	Dim	Indoor	Driver
55	90°	90	40 000	2700	3000	WW/RED	>90	PWM	Indoor	Driver

Product	Frame	Power	Input	Material
LILLEHOLM-90	SS / SS-BR	10w	350mA	SS/Alu
LILLEHOLM-90-DUO	SS / SS-BR	10w/10w	350mA	SS/Alu

Lilleholm 205




Aluminium White (WH)

IP	angle	Lm/w	H	CCT K	CRI	Dim	Indoor	Driver
55	90°	95	50 000	3000	>90	PWM	Indoor	Driver

Product	Frame	Power	Input	Material
LILLEHOLM-205	WH (RAL 9003)	30w	840mA	Alu
LILLEHOLM-205	WH (RAL 9010)	30w	840mA	Alu

Devi



mm	A	B
Ø100	100	90
Ø120	120	100
Ø150	150	110




IP	angle	Lm/w	H	CCT K	CRI
65	60°	115	50 000	3000	>80

Product	Frame	Power	Input	Material
DEVI-Ø100	SS	10w	220-240 V AC	SS
DEVI-Ø120	SS	15w	220-240 V AC	SS
DEVI-Ø150	SS	20w	220-240 V AC	SS

Only manufactured on request. Contact Casolux for more information.

Dia



mm	Ø80	Ø100	Ø120	Ø150
A	80	100	120	150
B	80	85	95	110



IP	angle	Lm/w	H	CCT K	CRI
20/65	60°	115	50 000	3000	>80


Product	IP	Frame	Power	Input	Material
DIA-Ø80	20/65	SS	10w	220-240 V AC	SS
DIA-Ø100	65	SS	10w	220-240 V AC	SS
DIA-Ø120	65	SS	15w	220-240 V AC	SS
DIA-Ø150	65	SS	20w	220-240 V AC	SS

Only manufactured on request. Contact Casolux for more information.



Motorhome lights

Rikke 1,3w Non Dimmable



Chrome (CH)




White (WH)

IP	angle	Lm/w	H	CCT	CRI	Indoor/Outdoor
65	90°	56	50 000	3000 K	>85	Indoor/Outdoor

Product	Frame	Power	Input Volt	Material
RIKKE	CH	1,3W	10-32V AC/DC	Plastic
RIKKE	WH	1,3W	10-32V AC/DC	Plastic

Rikke 1,5w Dimmable



Chrome (CH)




White (WH)


IP	angle	Lm/w	H	CCT	CCT	CRI	Dim	Indoor/Outdoor
65	90°	56	50 000	3000 K	Red	>85	PWM	Indoor/Outdoor

Product	Frame	Power	Input Volt	Material
RIKKE-DIM	CH / WH	1,5W	10-32V AC/DC	Plastic
RIKKE-DIM-RED	CH / WH	1,5W	10-32V AC/DC	Plastic

Rie



	Rie Small	Rie
A	Ø48mm	Ø70mm
B	9,5mm	9,5mm



RIE-SMALL


RIE



Product	Frame	Power	Input	Material
RIE-SMALL	Plastic-Chrome	1w	10-18 / 10-30 V DC	Plastic
RIE	Plastic-Chrome	1,8w	10-18 / 10-30 V DC	Plastic

Only manufactured on request. Contact Casolux for more information.


Molly Downlight - w / Touch



Product	Frame	Power	Input	Material
MOLLY-DOWNLIGHT	Plastic-Chrome	2w	12 V DC	Plastic

Only manufactured on request. Contact Casolux for more information.

Molly - Round - Mini Panel



MOLLY ROUND
Steel (S)



Steel and plastic body.
Magnetic front frame



Product	Frame	Power	Input	Material
MOLLY-ROUND	S	2,6w	10,5-16,5 / 10-30 V DC	Plastic/Steel

Only manufactured on request. Contact Casolux for more information.

Molly - Square - Mini Panel




MOLLY SQUARE
Steel (S)



Product	Frame	Power	Input	Material
MOLLY-SQUARE	S	2,6w	10,5-16,5 / 10-30 V DC	Plastic/Steel

Only manufactured on request. Contact Casolux for more information.

Mona - Plastic Panel light



	Mini	Medium
A	170mm	270mm
B	45mm	65mm
C	17mm	17mm



MONA-MINI




MONA-MEDIUM



Product	Power	Input	Material
MONA-MINI-PANEL	2,4w	10-30 V DC	Alu/Plastic
MONA-MEDIUM-PANEL	4,8w	10-30 V DC	Alu/Plastic

Mona - Aluminum Panel Light




On / OFF Touch switch



Product	Power	Input	Material
MONA-LIGHT-BAR-CW (4000K)	6w	10-32 V DC	Alu/Plastic
MONA-LIGHT-BAR-WW(3000K)	6w	10-32 V DC	Alu/Plastic


Mocca - Square - Mini Panel



MOCCA-SQUARE
Grey (GR)



MOCCA-SQUARE
Black (BL)




Plastic body in Black.
Magnetic front frame



Product	Frame	Power	Input	Material
MOCCA-SQUARE	GR	2,4w	10,5-16,5 / 10-30 V DC	Plastic/Alu
MOCCA-SQUARE	BL	2,4w	10,5-16,5 / 10-30 V DC	Plastic/Alu

Only manufactured on request. Contact Casolux for more information.

Mocca - Rectangel - Mini Panel



mm	A	B	C
MOCCA 100x300	100	300	7
MOCCA 65x200	65	200	7
MOCCA 110x190	110	190	7




MOCCA-RECTANGEL
100 x 300 Grey (GR)



MOCCA-RECTANGEL
65 x 200 Steel (S)



MOCCA-RECTANGEL
110 x 190 Steel (S)



MOCCA-RECTANGEL
65 x 200 Black (BL)


Steel or Plastic body.
Magnetic front frame



Product	Frame	Power	Input	Material
MOCCA-RECTANGEL-100x300	GR	7,2w	10,5-16,5 / 10-30 V DC	Plastic/Alu
MOCCA-RECTANGEL-65x200	S / BL	4w	10,5-16,5 / 10-30 V DC	Plastic/Steel
MOCCA-RECTANGEL-110x190	S	4,8w	10,5-16,5 / 10-30 V DC	Plastic/Steel

Only manufactured on request. Contact Casolux for more information.

Cabinet light - Square



On / OFF with
IR sensor

IP

20

angle

120°

Lm/w

59

H

50 000

CCT

3000 K

CRI

>85

Indoor

Product	Power	Input	Material
CABINET-SQUARE-192x112	6w	10-16 V DC	Alu




LED STRIPS


LED Flexibel Strip IP Grade



LED Flexibel Neon strip




LED Flexibel Neon strip with Vings



Round Neon strip




COB Led-Flexible Strip - IP20



Product	Led's pr.meter	Power	Input
COB-IP20-5MM	480 pcs	4 / 7 w/m	12 / 24 V DC
COB-IP20-8MM	480 pcs	9 w/m	12 / 24 V DC
COB-IP20-10MM	480 pcs	10 w/m	12 / 24 V DC

Lenghts/Watts/CCT can be manufactured on request. Contact Casolux for more information.


COB Led-Flexible Strip - RGB - IP20



Product	Led's pr.meter	Power	Input
COB-IP20-RGB	896 pcs	20w/m	12 / 24 V DC

Only manufactured on request. Contact Casolux for more information.

COB Led-Flexible Silicone Strip - IP67





UV protected



Product	Led's pr.meter	Power	Input
COB-IP67-10x5	480 pcs	4 / 7 w/m	12 / 24 V DC

Only manufactured on request. Contact Casolux for more information.

COB Led-Flexible Silicone Strip - IP67 - Opal Silicone Sleeve




UV protected



Product	Led's pr.meter	Power	Input
COB-IP67-10x5-opal	480 pcs	4 / 7 w/m	12 / 24 V DC

Only manufactured on request. Contact Casolux for more information.

COB Led-Flexible Silicone Strip - IP68




UV protected



Product	Led's pr.meter	Power	Input
COB-IP68-10x5	480 pcs	4 / 7 w/m	12 / 24 V DC

Only manufactured on request. Contact Casolux for more information.

Led-Flexible PU Strip 8x9,6mm Sideway 10W IP68



Saltwater, UV and High temperature resistant.




Product	Lenght	Power	Input
CALL24V-8x9,5	5m	8w/m	24 V DC

Only manufactured on request. Contact Casolux for more information.

Led-Flexible PU Strip 10x10mm 10W IP68



Saltwater, UV and High temperature resistant.




Saltwater, UV and High temperature resistant.



Product	Power	Input
CALL24V-IP68-10x10	10w/m	24 V DC
CALL24V-IP68-10x10-WW/RED	10w/m	24 V DC

Only manufactured on request. Contact Casolux for more information.


Led-Flexible High Power Strip - IP20



Product	Led's pr.meter	Power	Input
Line LED-9,6W-IP20	160 pcs	9,6w/m	12 / 24 V DC

Lenghts/Watts/CCT can be manufactured on request. Contact Casolux for more information.


Led-Flexible Strip - IP54



Product	Led's pr.meter	Power	Input
CALL-12	60 pcs	4,8w/m	12 V DC
CALL-24	60 pcs	4,8w/m	24 V DC

Lenghts/Watts/CCT can be manufactured on request. Contact Casolux for more information.


Led-Flexible PU Glue Potted Strip - IP64



Product	Led's pr.meter	Power	Input
CALL-PU-GLUE	120 pcs	9,6w/m	12 / 24 V DC

Lenghts/Watts/CCT can be manufactured on request. Contact Casolux for more information.


Led-Flexible Side View PU Glue Potted Strip - IP64



Product	Led's pr.meter	Power	Input
CALL-SIDEVIEW-PU-GLUE	60 pcs	4,8w/m	12 / 24 V DC

Lenghts/Watts/CCT can be manufactured on request. Contact Casolux for more information.


Led-Flexible - Milky White Silicone Strip - IP65



Product	Led's pr.meter	Power	Input
CALL-24-MILKY-FLAT	280 pcs	8w/m	24 V DC

Lenghts/Watts/CCT can be manufactured on request. Contact Casolux for more information.


Led-Flexible Silicone Strip - IP67



Product	Led's pr.meter	Power	Input
CALL-IP67-R-10x5	60 pcs	4,8w/m	12 / 24 V DC

Lenghts/Watts/CCT can be manufactured on request. Contact Casolux for more information.

Led-Flexible Silicone NEON Strip - 10x10 - w/Wings - IP54




UV and Flame resistant.



Product	Led's pr.meter	Power	Input
CALL-NEON-WINGS-10x10	120 pcs	8,8w/m	24 V DC

Only manufactured on request. Contact Casolux for more information.

Led-Flexible Silicone NEON Strip - Sideway - w/Wings - IP54



	Small	Medium
A	3mm	6mm
B	6mm	12mm



3 x 6mm



6x12mm

UV and Flame resistant.




Product	Led's pr.meter	Power	Input
CALL-NEON-WINGS-3x6	120 pcs	5w/m	24 V DC
CALL-NEON-WINGS-6x12	120 pcs	5w/m	24 V DC

Only manufactured on request. Contact Casolux for more information.

Led-Flexible - Silicone Neon Strip - Round - IP65



Bending 360°



	Small	Medium
A	Ø15mm	Ø22mm



UV protected




Product	Input
CALL-NEON-ROPE-Ø15	24 V DC
CALL-NEON-ROPE-Ø22	24 V DC

Only manufactured on request. Contact Casolux for more information.

Led-Flexible Silicone NEON Strip - 6x6mm - IP65



Bending Up / Down





Product	Length	Led's pr.meter	Power	Input
CALL12V-NEON-6x6	300mm	210 pcs	7,2w/m	12 V DC
CALL12V-NEON-6x6	5m	210 pcs	7,2w/m	12 V DC

Led-Flexible Silicone NEON Strip - 10x10mm - IP67



Bending Up / Down




Saltwater, UV and Flame resistant.



Product	Led's pr.meter	Power	Input
CALL-NEON-4W-10x10	150 pcs	4w/m	12 / 24 V DC

Lengths/Watts/CCT can be manufactured on request. Contact Casolux for more information.


Led-Flexible Silicone NEON Strip - 4x11mm - Sideway - IP67



Product	Led's pr.meter	Power	Input
CALL-MILKY-SIDEWAY	128 pcs	7,6w/m	12 / 24 V DC

Lengths/Watts/CCT can be manufactured on request. Contact Casolux for more information.


Led-Flexible Silicone NEON Strip - 4,2x10,4mm - Sideway - IP67



Product	Led's pr.meter	Power	Input
CALL-4,2x10,4-3M TAPE	128 pcs	7,6w/m	12 / 24V DC

Lengths/Watts/CCT can be manufactured on request. Contact Casolux for more information.

Led-Flexible Silicone NEON Strip - 8x7mm - Sideway - IP67



Saltwater, UV and Flame resistant.




Product	Led's pr.meter	Power	Input
CALL12V-NEON-8x7	140 pcs	4w/m	12 V DC
CALL24V-NEON-8x7	140 pcs	4w/m	24 V DC

Lengths/Watts/CCT can be manufactured on request. Contact Casolux for more information.

Led-Flexible Silicone NEON Strip - 3D Bending - IP67



Bending Up / Down and Sideway



Saltwater, UV and Flame resistant.



	Small	Medium	Large
A	8mm	10mm	16mm
B	8mm	10mm	15mm


Product	Led's pr.meter	Power	Input
CALL24v-3D-8x8	120 pcs	10w/m	24 V DC
CALL24v-3D-10x10	120 pcs	10w/m	24 V DC
CALL24v-3D-16x15	120 pcs	10w/m	24 V DC

Only manufactured on request. Contact Casolux for more information.

Casolux Marine light

Marine light system


Drejoe Tri Proof IP69K



Product	Power	Input	Material
DREJOE70-XSMALL	15w	230 V AC / 24 V DC / 10-32 V DC	SS / PC / HDPE
DREJOE70-SMALL	20w	230 V AC / 24 V DC / 10-32 V DC	SS / PC / HDPE
DREJOE45-XSMALL	6,5w	9-32 V DC	SS / PC / HDPE
DREJOE45-SMALL	13,8w	9-32 V DC	SS / PC / HDPE


Other Lengths/Watts can be manufactured on request. Contact Casolux for more information.

Roemoe




Product	Power	Input	Material
ROEMOE-SMALL	16w	100-270 V AC	Alu
ROEMOE-LARGE	32w	100-270 V AC	Alu

Barsoe




BARSOE	L	W	D
SPECIAL	108mm	108mm	59mm
MEDIUM	80mm	300mm	65mm



Product	Power	Input	Material
BARSOE-MEDIUM-COMBO	72w	10-30 V DC	Alu
BARSOE-SPECIAL-SPOT	48w	10-30 V DC	Alu
BARSOE-SPECIAL-FLOOD	48w	10-30 V DC	Alu

Other Lengths/Watts can be manufactured on request. Contact Casolux for more information.

Mega Flood Light




Saltwater and UV resistant.




Product	Power	Input	Material
MEGA-FLOODLIGHT	350w	100-277 V AC	Alu
MEGA-FLOODLIGHT	600w	100-277 V AC	Alu

Only manufactured on request. Contact Casolux for more information.

Langeland



LANGELAND ALUMINUM



LANGELAND SS



Stainless Steel (SS)






Gray Aluminium (Alu)



IP 68	angle 30-60°	Lm/w 65-74	H 50 000	CCT K 3000	CCT K 4000	CRI >85	Dim PWM	Indoor/Outdoor	5m Under water
-------	--------------	------------	----------	------------	------------	---------	---------	----------------	----------------

Product	Power	Input Volt	Material
LANGELAND-SS	11,5w	24 V DC	SS
LANGELAND-Alu	11,5w	24 V DC	Alu


Underwater Drain Light



IP 68	angle 30-60°	Lm/w 83	H 50 000	CCT K 4500	CCT Blue	5m Under water
-------	--------------	---------	----------	------------	----------	----------------

Product	Power	Input	Material
UNDERWATER-4500K	6w	12V DC	PA
UNDERWATER-BLUE	6w	12V DC	PA

Underwater Light Surface Mounted



	Small	Large
Length	210mm	290mm
Width	80mm	110mm
Depth	30mm	30mm



Small




Large

IP 68	angle 120°	Lm/w 90	H 40 000	CCT K 4500	20m Under water
-------	------------	---------	----------	------------	-----------------

Product	Power	Input	Material
UNDERWATER-SMALL	10w	12V AC/DC	PLA
UNDERWATER-LARGE	20w	12V AC/DC	PLA

Spirholm



Stainless Steel (SS)

IP 68	angle 25°	Lm/w 57	H 50 000	CCT K 3000	CRI >80	Dim PWM	5m Under water
-------	-----------	---------	----------	------------	---------	---------	----------------

Product	Power	Input	Material
SPIRHOLM	15w	24 V DC	SS

Only manufactured on request. Contact Casolux for more information.

Casolux Marine light

Marine light system

Copyright Rolf Nachbar



Illuminated Sign




Customized LED illuminated signs.

Three-dimensional lettering, personalized logos and symbol design.
316 grade mirror-polished stainless steel.
Halo light effects, side or edge lighting, back lighting or front lighting.

Contact tg@casolux.com for more information.



Cabinet light - Round



Bottom w/charger input

Top w/Finger Touch



Brakcet for screw, with magnet and 3M tape


- Short touch:
- 1 4000K
 - 2 6000K
 - 3 3000K
 - 4 flashing light
 - 5 OFF
- Long press: Stepless dimming



Product	Power	Battery	Input	Material
CABINET-RO	2,3w	3,7 V. 2000mAh	5 V. 800 mA	Alu

Pia Magnetic

Emergency light with Remote control



Micro USB input

- Step:
- 1 White light 3%
 - 2 White light 100%
 - 3 OFF

- Dobble press for Red light
- 1 Red light 100%
 - 2 flashing light OFF
 - 3 OFF

Long press Power off




Infrared Remote control

Product	Power	Battery	Input	Material
PIA-REMOTE	1w	3,7 V. 2000mAh	5 V. 700 mA	PC

Pia

Emergency light and Powerbank



	PIA SMALL	PIA LARGE
Length	143mm	262mm
Weight	130g	210g



PIA SMALL
In mangnet holder



PIA LARGE

- PIA-SMALL
- Step:
- 1 White light 10%
 - 2 White light 100%
 - 3 Red light 100%
 - 4 Red flash 100%
 - 5 SOS 100%
 - 6 OFF

- PIA LARGE
- Step:
- 1 White light 8%
 - 2 White light 30%
 - 3 White light 100%
 - 4 Flash 8%
 - 5 OFF



Micro USB input




USB output

Product	Power	Battery	Input	Material
PIA-SMALL	1w	3,7 V. 2600mAh	5 V. 800 mA	PC
PIA-LARGE	3w	3,7 V. 5200mAh	5 V. 2000 mA	PC

Elin small

Magnetic induction



Electromagnetic induction plug and socket. No cabel

Optional in different light colours and beam angles



Product	Power	Input	Material
ELIN-SMALL	3w	230 V AC / 24 V DC	SS/Nylon

Only manufactured on request. Contact Casolux for more information.

Led Bulb


G4 Replacement for halogen bulbs



CABU-G4-M11



CABU-G4-M12



Product code	Power	Input Volt	Lumen	Beam Angle	(A)	(B)	(C)
CABU-G4-M11	0,8w	10-30 V DC	60-90	360	10mm	19mm	30mm
CABU-G4-M12	1w	10-30 V DC	110-130	360	10mm	29mm	39mm

Led Bulb


G4 Replacement for halogen bulbs



CABU-G4-M13



CABU-G4-M14



Product code	Power	Input Volt	Lumen	Beam Angle	(A)	(B)	(C)
CABU-G4-M13	1w	10-30 V DC	80-100	360	10mm	26mm	36mm
CABU-G4-M14	1,1w	10-30 V DC	90-110	180	11mm	24mm	30mm

Led Bulb


G4 Replacement for halogen bulbs



CABU-G4-M15



CABU-G4-M17



Product code	Power	Input Volt	Lumen	Beam Angle	(A)	(B)	(C)
CABU-G4-M15	1,5w	10-30 V DC	150-170	360	13mm	28mm	38mm
CABU-G4-M17	1,1w	10-30 V DC	100-120	360	10mm	19mm	30mm

Led Bulb


G4 Replacement for halogen bulbs



CABU-G4-M18



CABU-G4-HL



Product code	Power	Input Volt	Lumen	Beam Angle	(A)	(B)	(C)
CABU-G4-M18	1,6w	10-30 V DC	180-200	180	10mm	29mm	39mm
CABU-G4-HL	2,5w	10-30 V DC	250-300	360	13mm	33mm	43mm



Sønderborg
Denmark

CASOLUX®

The lights of tomorrow

info@casolux.com

www.casolux.com

Tlf. +45 7445 0005

6400 Sønderborg

Denmark