


CASOLUX®

The lights of tomorrow





Introduction

Over the years Casolux has shown the way to innovative design within marine lighting by focusing on individuality, reliability and quality- three words that demonstrate the assurance that we have given our customers since the company was founded in 2012.

Thanks to our excellent staff, we have continued to keep this commitment, earning a more and more prominent position year on year, in a global market for marine lights for yacht and naval vessel.

This success would not have been possible without our employees` experience, technical skills and passion for design. developing lights that are perfectly tailored to meet each customer/ yard`s individual wishes and specific requirements.

The key factor that sets us apart, is by listening to our customers we are able to offer high flexibility, choice and innovation, from concept to finished product.

All processes are incorporated at our premises which include a component warehouse, product assembly, stock inventory, testing and show room.

Casolux have built their company by understanding the design and demands of marine lights, and through the pursuance of excellence, aim to become leaders within the industry.

info@casolux.com
Tlf. +45 7445 0005









Denmark - 6400 Sønderborg



















CASOLUX®

The lights of tomorrow



Page


	—	4-17	—	Small Craft Lights
	—	18-23	—	Customized Reading Lights
	—	24-26	—	Reading and Wall Lights
	—	27-35	—	Mega Yacht Lights
	—	36-39	—	Motorhome Lights
	—	40-45	—	LED Strips
	—	46-47	—	Flood, Machine-room and Underwater Lights
	—	48-50	—	Misc. lights, Bulbs, Electronic Accessories etc.

- | | | |
|--|---|--|
|  Suitable for Small Crafts |  IP grade |  Led driver |
|  Suitable for Mega Yacht |  Lumen output per watt |  Color rendering index |
|  Suitable for for Motorhomes |  Color temperature in Kelvin |  LED's lifetime |
|  Red color light |  Beam angle |  For indoor use |
|  Blue color light |  Dimmable |  For indoor and outdoor |
|  Red / WW switchable light |  USB charger |  For underwater use |

Disclaimer:
Casolux assumes no responsibility or liability for any errors, omissions or changes towards this catalog.

Small Craft Lights


Maria - A1



mm	SMALL	LARGE
A	69,5	86
B	40,5	55
C	4,5	4,5
D	52	70
E	19	19




Stainless Steel (SS) Black (BL) Grey (GR) White (WH)
Optional with brushed surface



Product	Size	Frame	Power	Input Volt	Material
MARIA-A1	SMALL	SS / BL / GR / WH	2w	10-32 V AC/DC	SS/Alu
MARIA-A1	SMALL	SS / BL / GR / WH	2,5w	10-32 V AC/DC	SS/Alu
MARIA-A1	LARGE	SS / BL / GR / WH	3w	10-32 V AC/DC	SS/Alu

Maria - A3



mm	SMALL	LARGE
A	69,5	86
B	40,5	55
C	7	7
D	52	70
E	16	16




Stainless Steel (SS) Black (BL) Grey (GR) White (WH)
Optional with brushed surface



Product	Size	Frame	Power	Input Volt	Material
MARIA-A3	SMALL	SS / BL / GR / WH	2w	10-32 V AC/DC	SS/Alu
MARIA-A3	SMALL	SS / BL / GR / WH	2,5w	10-32 V AC/DC	SS/Alu
MARIA-A3	LARGE	SS / BL / GR / WH	3w	10-32 V AC/DC	SS/Alu


Maria - A4 - 2700K - Ra90



SMALL	
mm	STANDARD Ø90
A	90
B	40,5
C	2
D	52
E	19




Stainless Steel (SS) Black (BL) Grey (GR) White (WH)
Optional with brushed surface



Product	Size	Frame	Power	Input Volt	Material
MARIA-A4	SMALL	SS / BL / GR / WH	2w	10-32 V AC/DC	SS/Alu



Maria - A4 - Standard





Stainless Steel (SS) Optional with brushed surface
 Black (BL)
 Grey (GR)
 White (WH)
News New Ø90 Front for Small and Medium Maria

mm	SMALL News		MEDIUM News		LARGE
	STANDARD	Ø90	STANDARD	Ø90	
A	69,5	90	82	90	86
B	40,5	40,5	50	50	55
C	2	2	3	3	3
D	52	52	62	62	70
E	19	19	19	19	19

Product	Size	Frame	Power	Input Volt	Material
MARIA-A4	SMALL	SS / BL / GR / WH	2w	10-32 V AC/DC	SS/Alu
MARIA-A4	SMALL	SS / BL / GR / WH	2,5w	10-32 V AC/DC	SS/Alu
MARIA-A4	MEDIUM	BL / GR / WH	2,5w	10-32 V AC/DC	Alu
MARIA-A4	LARGE	SS / BL / GR / WH	3w	10-32 V AC/DC	SS/Alu

Maria - A4 - Standard with DUO colour





Stainless Steel (SS) Optional with brushed surface
 Black (BL)
 Grey (GR)
 White (WH)
News New Ø90 Front for Small Maria

mm	SMALL News		LARGE
	STANDARD	Ø90	
A	69,5	90	86
B	40,5	40,5	55
C	2	2	3
D	52	52	70
E	19	19	19

Product	Size	Frame	Power	Input Volt	Material
MARIA-A4-DUO	SMALL	SS / BL / GR / WH	2w/0,5w	10-32 V AC/DC	SS/Alu
MARIA-A4-DUO	LARGE	SS / BL / GR / WH	3w/0,5w	10-32 V AC/DC	SS/Alu

Maria - A4 - Touch




Stainless Steel (SS) Optional with brushed surface
 Black (BL)
 Grey (GR)
 White (WH)
News New Ø90 Front for Small Maria

mm	SMALL News		LARGE
	STANDARD	Ø90	
A	69,5	90	86
B	40,5	40,5	55
C	2	2	3
D	52	52	70
E	19	19	19

Product	Size	Frame	Power	Input Volt	Material
MARIA-A4-CTO	SMALL	SS / BL / GR / WH	2w	10-32 V AC/DC	SS/Alu
MARIA-A4-CTO	LARGE	SS / BL / GR / WH	3w	10-32 V AC/DC	SS/Alu

Maria - A4 - Touch with Dim Memory



Stainless Steel (SS) Optional with brushed surface
 Black (BL)
 Grey (GR)
 White (WH)
News New Ø90 Front


mm	SMALL News	
	STANDARD	Ø90
A	69,5	90
B	40,5	40,5
C	2	2
D	52	52
E	19	19

Product	Size	Frame	Power	Input Volt	Material
MARIA-A4-CTDI	SMALL	SS / BL / GR / WH	2w	10-32 V AC/DC	SS/Alu
MARIA-A4-CTDI	SMALL	SS / BL / GR / WH	2,5w	10-32 V AC/DC	SS/Alu

Casolux Marine light

Marine light system

A1 Controller IP20




One Controller can control up to 15 receivers.



Product	Frame	Power	Input Volt	Material
A1-MA	SS	3w	9-32 V DC	SS/Alu
A1-MA-DUO	SS	3w/3w	9-32 V DC	SS/Alu

Only manufactured on request. Contact Casolux for more information.

A1 Controller IP64




One Controller can control up to 15 receivers.



Product	Frame	Power	Input Volt	Material
A1-MA-IP64	SS	3w	9-32 V DC	SS/Alu
A1-MA-IP64-DUO	SS	3w/3w	9-32 V DC	SS/Alu

Only manufactured on request. Contact Casolux for more information.

A1 Receiver





Product	Frame	Power	Input Volt	Material
A1-SL	SS	3w	9-32 V DC	SS/Alu
A1-SL-DUO	SS	3w/3w	9-32 V DC	SS/Alu

Only manufactured on request. Contact Casolux for more information.





A5 Controller IP20



Stainless steel (SS)



One Controller can control up to 15 receivers.



Product	Frame	Power	Input Volt	Material
A5-MA	SS	3w	9-32 V DC	SS/Alu
A5-MA-DUO	SS	3w/3w	9-32 V DC	SS/Alu

Only manufactured on request. Contact Casolux for more information.

A5 Controller IP64



Stainless steel (SS)


One Controller can control up to 15 receivers.



Product	Frame	Power	Input Volt	Material
A5-MA-IP64	SS	3w	9-32 V DC	SS/Alu
A5-MA-IP64-DUO	SS	3w/3w	9-32 V DC	SS/Alu

Only manufactured on request. Contact Casolux for more information.

A5 Receiver



Stainless steel (SS)



Product	Frame	Power	Input Volt	Material
A5-SL	SS	3w	9-32 V DC	SS/Alu
A5-SL-DUO	SS	3w/3w	9-32 V DC	SS/Alu

Only manufactured on request. Contact Casolux for more information.




Casolux Marine light

Marine light system

Copyright N. krauss/Hamburg



Malou Controller IP20




One Controller can control up to 15 receivers.



Product	Frame	Power	Input Volt	Material
MALOU-MA	SS / SS-WH / SS-BL	3w	9-32 V DC	SS/Alu
MALOU-MA-DUO	SS / SS-WH / SS-BL	3w/3w	9-32 V DC	SS/Alu

Malou Controller IP64




One Controller can control up to 15 receivers.



Product	Frame	Power	Input Volt	Material
MALOU-MA-IP64	SS / SS-WH / SS-BL	3w	9-32 V DC	SS/Alu
MALOU-MA-IP64-DUO	SS / SS-WH / SS-BL	3w/3w	9-32 V DC	SS/Alu

Malou Receiver




Product	Frame	Power	Input Volt	Material
MALOU-SL	SS / SS-WH / SS-BL	3w	9-32 V DC	SS/Alu
MALOU-SL-DUO	SS / SS-WH / SS-BL	3w/3w	9-32 V DC	SS/Alu



Malou Controller IP20 - Surface mounted



ON / OFF
Press for Dimming.
WW/RED: Double click
to change colour.




Stainless steel (SS)

One Controller can control up to 15 receivers.




Product	Frame	Power	Input Volt	Material
MALOU-MA-SURFACE	SS	3w	9-32 V DC	SS/Alu
MALOU-MA-SURFACE-DUO	SS	3w/3w	9-32 V DC	SS/Alu

Malou Controller IP64 - Surface mounted



ON / OFF
Press for Dimming.
WW/RED: Double click
to change colour.




Stainless steel (SS)

One Controller can control up to 15 receivers.



Product	Frame	Power	Input Volt	Material
MALOU-MA-IP64-SUR	SS	3w	9-32 V DC	SS/Alu
MALOU-MA-IP64-SUR-DUO	SS	3w/3w	9-32 V DC	SS/Alu

Malou Receiver - Surface mounted



Stainless steel (SS)




Product	Frame	Power	Input Volt	Material
MALOU-SL-SUR	SS	3w	9-32 V DC	SS/Alu
MALOU-SL-SUR-DUO	SS	3w/3w	9-32 V DC	SS/Alu

Casolux Marine light

Marine light system

Maja - Surface mounted




MAJA-SURFACE-SMALL Stainless steel (SS) MAJA-SURFACE-LARGE Stainless steel (SS)



Product	Frame	Power	Input	Material
MAJA-SURFACE-SMALL	SS	3,6w	10-32 V DC	SS/Alu
MAJA-SURFACE-SMALL DUO	SS	3,6w/1,8w	10-32 V DC	SS/Alu
MAJA-SURFACE-LARGE	SS	3,6w	10-32 V DC	SS/Alu
MAJA-SURFACE-LARGE DUO	SS	3,6w/1,8w	10-32 V DC	SS/Alu

Large version is only manufactured on request. Contact Casolux for more information.

Maggi - Surface mounted




Stainless steel (SS)



Product	Frame	Power	Input	Material
MAGGI-SURFACE	SS	3w	10-18 V DC Optional 10-32 V DC	SS/Alu

Only manufactured on request. Contact Casolux for more information.

Medina - Surface mounted



Aluminium Grey (GR)




Product	Frame	Power	Input	Material
MEDINA-SURFACE	GR	1w	10-32 V DC	Alu





Maja Round



Stainless steel (SS)




Stainless steel
Painted White (SS-WH)



Product	Frame	Power	Input Volt	Material
MAJA-ROUND	SS / SS-WH	3,6w	10-32 V DC	SS/Alu
MARIA-ROUND-DUO	SS / SS-WH	3,6w/1,8w	10-32 V DC	SS/Alu

Maja Square



Stainless steel (SS)



Stainless steel
Painted White (SS-WH)





Product	Frame	Power	Input Volt	Material
MAJA-SQUARE	SS / SS-WH	3,6w	10-32 V DC	SS/Alu
MARIA-SQUARE-DUO	SS / SS-WH	3,6w/1,8w	10-32 V DC	SS/Alu

Maggi Small



White (WH)



Grey (GR)
RAL 7038




Stainless steel (SS)
Can be made at request



Product	IP	Frame	Power	Input Volt	Material
MAGGI	44	WH	3,5w	10-32 V DC	Alu
MAGGI	66	GR	3,5w	10-32 V DC	Alu
MAGGI	44	SS	3w	10-32 V DC	SS/Alu

Maggi Ø69




Product	Frame	Power	Input Volt	Material
MAGGI-LARGE	SS	3w	10-18 V DC	SS/Alu

Only manufactured on request. Contact Casolux for more information.

Casolux Marine light

Marine light system


Mie



IP 54	angle 25°	Lm/w 343	H 40 000	CCT 2700 K	CRI >85	Dim PWM	Indoor
-------	-----------	----------	----------	------------	---------	---------	--------

Product	Frame	Power	Input Volt	Material
MIE	WH	3w	10-30 V DC	Alu

Magda





Stainless Steel (SS)

IP 65	angle 90°	Lm/w 75	H 40 000	CCT 3000 K	CRI >85	Dim PWM	Indoor/Outdoor
-------	-----------	---------	----------	------------	---------	---------	----------------

Product	Frame	Power	Input Volt	Material
MAGDA	SS	4,4w	10-30 V DC	SS/Alu

Malou 82



Stainless steel (SS)



Stainless steel Painted White (SS-WH)



Stainless steel Painted Black (SS-BL)

Optional with square frame.



SQUARE OVAL FRAME

IP 65	angle 120°	Lm/w 95	H 50 000	CCT 3000 K	CCT WW/RED	CRI >85	Dim PWM	Indoor/Outdoor
-------	------------	---------	----------	------------	------------	---------	---------	----------------



Product	Frame	Power	Input	Material
MALOU-82	SS / SS-WH / SS-BL	4,5w	10-32 V DC	SS/Alu
MALOU-82-DUO	SS / SS-WH / SS-BL	3,6w/0,6w	10-32 V DC	SS/Alu



Copyright N. krauss/Hamburg



Mathilde Small




Aluminium (Alu)



Product	Frame	Power	Input Volt	Material
MATHILDE-SMALL	Alu	1,2w	350mA / 10-30 V DC	Alu

Only manufactured on request. Contact Casolux for more information.

Mathilde Sphere




Stainless Steel (SS)



Product	Frame	Power	Input Volt	Material
MATHILDE-SPHERE	SS	1,5w	10-32 V DC	SS/Alu

Only manufactured on request. Contact Casolux for more information.

Mathilde




Stainless Steel (SS)



Product	Frame	Power	Input Volt	Material
MATHILDE	SS	2,4w	10-32 V DC	SS/Alu

Mathilde Large



Stainless Steel (SS)
Round (RO)



Stainless Steel (SS)
Square (SQ)




Product	Frame	Power	Input Volt	Material
MATHILDE-LARGE-RO	SS	2,4w	10-30 V DC	SS/Alu
MATHILDE-LARGE-SQ	SS	2,4w	10-30 V DC	SS/Alu

Only manufactured on request. Contact Casolux for more information.

Casolux Marine light

Marine light system

Marina Push Up Table light




Stainless Steel (SS)



Product	Power	Input	Material
MARINA	4w	10-32 V DC	SS

Merle front




Stainless Steel (SS)
Optional with brushed surface



Product	Power	Input	Material
MERLE-FRONT-3000K	0,5w	10-18 V DC / 18-30 V DC / 10-30 V DC	SS
MERLE-FRONT-RED	0,5w	10-18 V DC / 18-30 V DC / 10-30 V DC	SS
MERLE-FRONT-BLUE	0,5w	10-18 V DC / 18-30 V DC / 10-30 V DC	SS

Merle down





Stainless Steel (SS)
Optional with brushed surface



Product	Power	Input	Material
MERLE-DOWN-3000K	0,5w	10-18 V DC / 18-30 V DC / 10-30 V DC	SS
MERLE-DOWN-RED	0,5w	10-18 V DC / 18-30 V DC / 10-30 V DC	SS
MERLE-DOWN-BLUE	0,5w	10-18 V DC / 18-30 V DC / 10-30 V DC	SS
MERLE-DOWN-DUO <i>News</i>	0,5w / 0,5w	10-18 V DC / 18-30 V DC	SS

Cleo Special



CLWO-SPECIAL-SQUARE Stainless Steel (SS) CLEO-SPECIAL-ROUND Stainless Steel (SS)




Product	Power	Input	Material
CLEO-SPECIAL-ROUND	3w	10-32 V DC	Alu/SS
CLEO-SPECIAL-SQUARE	3w	10-32 V DC	Alu/SS

Only manufactured on request. Contact Casolux for more information.



Cleo Round



Stainless Steel (SS)



Stainless Steel painted White (SS-WH)




Stainless Steel painted Black (SS-BL)



Product	Frame	Power	Input Volt	Material
CLEO-ROUND	SS / SS-WH / SS-BL	0,6w	10-32 V DC	SS/Plastic

Cleo Round 25°



Stainless Steel (SS)



Stainless Steel painted White (SS-WH)





Stainless Steel painted Black (SS-BL)



Product	Frame	Power	Input Volt	Material
CLEO-ROUND-25	SS / SS-WH / SS-BL	0,6w	10-32 V DC	SS/Plastic

Cleo Square



Stainless Steel (SS)



Stainless Steel painted White (SS-WH)





Stainless Steel painted Black (SS-BL)



Product	Frame	Power	Input Volt	Material
CLEO-SQUARE	SS / SS-WH / SS-BL	0,6w	10-32 V DC	SS/Plastic

Cleo Square 34°



Stainless Steel (SS)



Stainless Steel painted White (SS-WH)



Stainless Steel painted Black (SS-BL)




Product	Frame	Power	Input Volt	Material
CLEO-SQUARE-34	SS / SS-WH / SS-BL	0,6w	10-32 V DC	SS/Plastic

Casolux Marine light

Marine light system

Mille




Stainless Steel (SS)



Product	Power	Input	Material
MILLE-3000K	0,2w	10-30 V DC	SS
MILLE-RED	0,2w	10-30 V DC	SS
MILLE-BLUE	0,2w	10-30 V DC	SS

Milla



MILLA-ROUND
Stainless Steel (SS)




MILLA-SQUARE
Stainless Steel (SS)



Product	Frame	Power	Input	Material
MILLA-ROUND	SS	1,2w	10-32 V DC	Alu/SS
MILLA-SQUARE	SS	1,2w	10-32 V DC	Alu/SS

Only manufactured on request. Contact Casolux for more information.

Milo Half




Stainless Steel (SS)



Product	Frame	Power	Input	Material
MILO-HALF	SS	1,5w	10-32 V DC	SS

Only manufactured on request. Contact Casolux for more information.

Milo



Stainless Steel (SS)




Product	Frame	Power	Input	Material
MILO	SS	1,5w	10-32 V DC	SS

Only manufactured on request. Contact Casolux for more information.



Mateo



MATEO-ROUND
Stainless Steel (SS)




MATEO-SQUARE
Stainless Steel (SS)



Product	Frame	Power	Input	Material
MATEO-ROUND	SS	1,2w	10-32 V DC	Alu/SS
MATEO-SQUARE	SS	1,2w	10-32 V DC	Alu/SS

Only manufactured on request. Contact Casolux for more information.

Mai




Stainless Steel (SS)



Product	Power	Input	Material
MAI-SMALL	0,3w	10-32V DC	SS

Max Standard




Stainless Steel (SS)

Start with Red light On / Off, Blue light On / Off, White light On / Off



Product	Power	Input	Material
MAX-STANDARD	3,5w / 1w / 1w	10-32V DC	SS

Max Special



Stainless Steel (SS)
Clear lens (CL)



Stainless Steel (SS)
Milky lens (ML)

Start with White light On / Off, Red light On / Off



Product	Power	Input	Material
MAX-SPECIAL-CL	2,6w / 1w	10-32V DC	SS
MAX-SPECIAL-ML	2,6w / 1w	10-32V DC	SS

Customized Reading lights in stainless steel

Malene, Martha and Mary stainless steel lights can be customized with different base and flexarm after your desire and needs

The lamp head and flexarm can be assembled with 2 different versions of lamp bases. Wall model for mounting on a vertical surface and Table model for mounting on a horizontal surface.

Lamp bases have USB A or USB C charger.

All flexarms are made with stainless steel inner core and brass chrome plate outside. Flexarm can be covered with leather or silicone in different color available to match your specific design style, or a specific color can be customized on request.

White Silicone



Black Silicone



Chrome



Customized Reading lights in aluminium







Malene and Mary aluminium lights can be customized with different base and flexarm after your desire and needs

Our flexarms come in basic lengths of 130mm, 200mm and 290mm, however other lengths can be customized on request.



Black Leather Light Brown Leather Dark Brown Leather




	Short code	Standard	Small	Mini
 White Silicone	S-WH	290mm	200mm	130mm
 Black Silicone	S-BL	290mm	200mm	130mm
 Stainless Steel	SS	290mm	200mm	130mm
 Black Leather	L-BL	290mm	200mm	130mm
 Light Brown Leather	L-LIBR	290mm	200mm	130mm
 Dark Brown Leather	L-DRBR	290mm	200mm	130mm

Casolux Marine light







Marine light system

Copyright N. Krauss/Hamburg




On / Off Touch switch.
Hold for dimming.

Dimming function remember your last setting after being turned off.

	Short code	Standard	Small	Mini
 White Silicone	S-WH	290mm	200mm	130mm
 Black Silicone	S-BL	290mm	200mm	130mm
 Stainless Steel	SS	290mm	200mm	130mm
 Black Leather	L-BL	290mm	200mm	130mm
 Light Brown Leather	L-LIBR	290mm	200mm	130mm
 Dark Brown Leather	L-DRBR	290mm	200mm	130mm

Martha Glass Wall - w/USB / Touch Dim / Memory




MARTHA-GLASS-WALL Stainless steel Mirror polished (SS-PO) USB-A USB-C MARTHA-GLASS-WALL Stainless steel Brushed surface (SS-BR)



Product	Finish	Power	Input	Material
MARTHA-GLASS-WALL-USB-A	SS-PO / SS-BR	2,5w	10-30 V DC	SS
MARTHA-GLASS-WALL-USB-C	SS-PO	2,5w	10-30 V DC	SS

Martha Wall - w/USB / Touch Dim / Memory




MARTHA-WALL Stainless steel (SS) USB-A USB-C



Product	Finish	Power	Input	Material
MARTHA-WALL-USB-A	SS	1,5w	10-30 V DC	SS
MARTHA-WALL-USB-C	SS	1,8w	10-30 V DC	SS

Mary Wall - w/USB / Touch Dim / Memory




MARY-WALL Stainless Steel (SS) MARY-WALL Black (BL) MARY-WALL Grey (GR)



Product	Finish	Power	Input	Material
MARY-WALL	SS	1,8w	10-30 V DC	SS
MARY-WALL	BL / GR	1,5w	10-30 V DC	Alu



Mette Flex - w/USB-C / Touch Dim / Memory



On / Off Touch switch.
Hold for dimming.

Dimming function remember your last setting after being turned off.


METTE-FLEX
Flex L-BL-290

IP 20	angle 40°	Lm/w 77	H 50 000	CCT 3000 K	CRI >90	Dim Touch Dim w/memory	Indoor	USB 5V, 2Am
-----------------	---------------------	-------------------	--------------------	----------------------	-------------------	----------------------------------	---------------	-----------------------

Product	Flex	Power	Input	Material
METTE-FLEX	L-BL-290	2,5w	10-30 V DC	SS

Only manufactured on request. Contact Casolux for more information.

Martha Glass Flex - w/USB / Touch Dim / Memory



MARTHA-GLASS-FLEX
TABLEBASE
Flex SS-290mm




MARTHA-GLASS-FLEX
WALLBASE
Flex SS-290mm

IP 20	angle 40°	Lm/w 50	Lm/w 77	H 50 000	CCT 3000 K	CRI >90	Dim Touch Dim w/memory	Indoor	USB 5V, 2Am
-----------------	---------------------	-------------------	-------------------	--------------------	----------------------	-------------------	----------------------------------	---------------	-----------------------

Product	Flex	Power	Input	Material
MARTHA-GLASS-FLEX-TABLEBASE	SS-290	1,5 / 2,5w	10-30 V DC	SS
MARTHA-GLASS-FLEX-WALLBASE	SS-290	1,5 / 2,5w	10-30 V DC	SS

Martha Flex - w/USB / Touch Dim / Memory



MARTHA-FLEX
TABLEBASE
Flex SS-290mm




MARTHA-FLEX
WALLBASE
Flex SS-290mm

IP 20	angle 40°	Lm/w 93	H 50 000	CCT 3000 K	CRI >90	Dim Touch Dim w/memory	Indoor	USB 5V, 2Am
-----------------	---------------------	-------------------	--------------------	----------------------	-------------------	----------------------------------	---------------	-----------------------

Product	Flex	Power	Input	Material
MARTHA-FLEX-TABLEBASE	SS-290	1,5w	10-30 V DC	SS
MARTHA-FLEX-WALLBASE	SS-290	1,5w	10-30 V DC	SS

Mary Flex - w/USB / Touch Dim / Memory



MARY-FLEX
Stainless Steel (SS)
TABLEBASE
Flex SS-290mm



MARY-FLEX
Stainless steel (SS)
WALLBASE
Flex SS-290mm



MARY-FLEX
Black (BL)
TABLEBASE
Flex SS-200mm



MARY-FLEX
Gray (GR)
TABLEBASE
Flex SS-200mm

IP 20	angle 40°	Lm/w 87	H 50 000	CCT 3000 K	CRI >90	Dim Touch Dim w/memory	Indoor	USB 5V, 2Am
-----------------	---------------------	-------------------	--------------------	----------------------	-------------------	----------------------------------	---------------	-----------------------

Product	Flex	Power	Input	Material
MARY-FLEX-SS-TABLEBASE	SS-290	1,8w	10-30 V DC	SS
MARY-FLEX-SS-WALLBASE	SS-290	1,8w	10-30 V DC	SS
MARY-FLEX-BL-TABLEBASE	SS-200	1,5w	10-30 V DC	Alu
MARY-FLEX-GR-TABLEBASE	SS-200	1,5w	10-30 V DC	Alu

Casolux Marine light

Marine light system




Copyright N. Krauss/Hamburg



Touch switch to change between white and red light.
Hold for dimming on white light.
Dimming function remember your last setting after being turned off.

	Short code	Standard	Small	Mini
White Silicone	S-WH	290mm	200mm	130mm
Black Silicone	S-BL	290mm	200mm	130mm
Stainless Steel	SS	290mm	200mm	130mm
Black Leather	L-BL	290mm	200mm	130mm
Light Brown Leather	L-LIBR	290mm	200mm	130mm
Dark Brown Leather	L-DRBR	290mm	200mm	130mm


Malene Stainless Steel - w/USB / Touch Dim / Memory



IP 20 **angle** 110° **Lm/w** 77 **H** 50 000 **CCT** WW/RED **CRI** >90 **Dim** Touch Dim w/memory **Indoor** **USB** 5V, 2Am

Product	Flex	Power	Input	Material
MALENE-TABLE-SS	SS-290	2w	10-29 V DC	SS
MALENE-WALL-SS	L-DRBR-290	2w	10-29 V DC	SS


Malene Black Aluminium - w/USB / Touch Dim / Memory



IP 20 **angle** 110° **Lm/w** 77 **H** 50 000 **CCT** WW/RED **CRI** >90 **Dim** Touch Dim w/memory **Indoor** **USB** 5V, 2Am

Product	Flex	Power	Input	Material
MALENE-TABLE-BLACK	S-BL-290	2w	10-29 V DC	Alu
MALENE-WALL-BLACK	L-BL-290	2w	10-29 V DC	SS

Malene Flatbase - Touch Dim / Memory



IP 20 **angle** 110° **Lm/w** 77 **H** 50 000 **CCT** WW/RED **CRI** >90 **Dim** Touch Dim w/memory **Indoor**

Product	Flex	Power	Input	Material
MALENE-FLATBASE-SS	S-WH-290	2w	10-29 V DC	SS




Malene CB - w/USB C / Touch Dim / Memory



News

MALENE CB
Black (BL)
Flex L-BL-290mm



MALENE CB
Chrome (CH)
Flex S-BL-290mm



USB C



Black base

Chrome Base




Product	Flex	Power	Input	Material
MALENE-CB-BL	L-BL-290	2w	10-29 V DC	ALU
MALENE-CB-CH	S-BL-290	2w	10-29 V DC	ALU

Malene SL - w/USB / Touch Dim / Memory



News



USB C



Product	Flex	Power	Input	Material
MALENE-SL-BL-TABLE	S-BL-290	2w	10-29 V DC	ALU




Copyright Hasselblad HSD

Casolux Marine light

Marine light system

Samsoe




Black (BL)



Product	Power	Input	Material
SAMSOE-FLEX-CW	3w	10-30 V DC	Alu
SAMSOE-FLEX-WW	3w	10-30 V DC	Alu

Mary Flex Special



Black (BL)




Product	Power	Input	Material
MARY-FLEX-SPECIAL	2w	10-30 V DC	Alu


Zoom Flex



News



With USB C




Product	Power	Input	Material
ZOOM	2w	10-30 V DC	Alu

Only manufactured on request. Contact Casolux for more information.


Zoom



News




With USB C



Product	Power	Input	Material
ZOOM	1,8w	10-30 V DC	Alu

Mary Flex Mini - w/USB / Touch Dim / Memory



Stainless steel (SS) polished


Grey (GR)

Black (BL)



Product	Flex	Power	Input	Material
MARY-SS-FLEX-MINI	S-BL 130	1,8w	10-30V DC	SS
MARY-BL-FLEX-MINI	S-BL-130	1,5w	10-30V DC	Alu
MARY-GR-FLEX-MINI	S-BL-130	1,5w	10-30V DC	Alu

Mary Wall - Classic version



Aluminum Gray (GR)




Aluminum Black (BL)



Product	Frame	Power	Input	Material
MARY-WALL-CLASSIC	GR	2w	10-30 V DC	Alu
MARY-WALL-CLASSIC	BL	2w	10-30 V DC	Alu

Mary Flex Mini - Classic version



Stainless steel Brushed (SS-BR)



Grey (GR)




Black (BL)



Product	Power	Input	Material
MARY-MINI-CLASSIC-SS-BR	1,5w	10-30 V DC	SS
MARY-MINI-CLASSIC-(GR / BL)	2w	10-30 V DC	Alu

Mary Flex - Classic version



Stainless steel (SS) polished



Black (BL)



Grey (GR)



Product	Power	Input	Material
MARY-CLASSIC-SS	1,5w	10-30 V DC	SS
MARY-CLASSIC-(GR / BL)	2w	10-30 V DC	Alu


Casolux Marine light

Marine light system

Mary up/down



News



Aluminium Black with Stainless steel (SS) Case




Aluminium Black (BL)

IP 20	angle 60°	Lm/w 70	H 50 000	CCT 3000 K	CRI >85	Dim PWM	Indoor
-----------------	---------------------	-------------------	--------------------	----------------------	-------------------	-------------------	---------------

Product	Frame	Power	Input	Material
MARY-UP-DOWN	SS	2 x 3w	10-30 V DC	Alu/SS
MARY-UP-DOWN	BL	2 x 3w	10-30 V DC	Alu

Wallis Round - w/USB and Touch switch



mm	SMALL	LARGE
A	137	185
B	128	140
C	Ø110	Ø160
D	100	155



WALLIS-SMALL-ROUND




WALLIS-LARGE-ROUND


Stainless steel with fabric lamp shade

IP 20	angle 100°	Lm/w 170-200	H 50 000	CCT 3000 K	Indoor	USB 5V, 1Am
-----------------	----------------------	------------------------	--------------------	----------------------	---------------	-----------------------

Product	Power	Input	Material
WALLIS-SMALL-ROUND	G4 LED Bulb 1,5w	10-30 V DC	SS
WALLIS-LARGE-ROUND	G4 LED Bulb 1,5w	10-30 V DC	SS



Wallis Square - w/USB and Touch switch



mm	SMALL	LARGE
A	137	185
B	128	140
C1	110	160
C2	150	160
D	100	115



WALLIS-SMALL-SQUARE




WALLIS-LARGE-SQUARE


Stainless steel with fabric lamp shade

IP 20	angle 100°	Lm/w 170-200	H 50 000	CCT 3000 K	Indoor	USB 5V, 2,5Am	USB 5V, 1Am
-----------------	----------------------	------------------------	--------------------	----------------------	---------------	-------------------------	-----------------------

Product	Power	Input	Material
WALLIS-SMALL-SQUARE	G4 LED Bulb 1,5w	10-30 V DC	SS
WALLIS-LARGE-SQUARE	G4 LED Bulb 1,5w	10-30 V DC	SS




Wallis Special - w/USB and Touch switch



Stainless steel with fabric lamp shade

IP 20	angle 100°	angle 40°	Lm/w 170-200	H 50 000	CCT 3000 K	CRI >85	Indoor	USB 5V, 1Am
-----------------	----------------------	---------------------	------------------------	--------------------	----------------------	-------------------	---------------	-----------------------

Product	Power	Input	Material
WALLIS-SPECIAL	G4 LED Bulb 1,5w	10-30 V DC	SS






Mega Yacht lights

Willa



Wanda




Stainless steel with fabric lamp shade



Product code	LED bulb input / Power	Bulb Input / Power
WILLA	10-30 DC / G4 LED bulb 1,2w	230 AC / E14 Bulb max 40w

Only manufactured on request. Contact Casolux for more information.



Stainless steel with fabric lamp shade




Product code	LED bulb input / Power	Bulb Input / Power
WANDA-BED	10-30 DC / G4 LED bulb 1,2w	230 AC / E27 Bulb max 40w

Only manufactured on request. Contact Casolux for more information.


Winnie



Whitney




Stainless steel with fabric lamp shade



Product code	LED bulb input / Power	Bulb Input / Power
WINNIE	10-30 DC / G4 LED bulb 1,2w	230 AC / E14 Bulb max 40w

Only manufactured on request. Contact Casolux for more information.



Stainless steel with fabric lamp shade




Product code	LED bulb input / Power	Bulb Input / Power
WHITNEY	10-30 DC / G4 LED bulb 1,2w	230 AC / E14 Bulb max 40w

Only manufactured on request. Contact Casolux for more information.


Wendy



Theresa




Stainless steel with fabric lamp shade



Product code	LED bulb input / Power	Bulb Input / Power
WENDY	10-30 DC / G4 LED bulb 1,2w	230 AC / E14 Bulb max 40w

Only manufactured on request. Contact Casolux for more information.



Stainless steel with fabric lamp shade



Product code	LED bulb input / Power	Bulb Input / Power
THERESA	10-30 DC / G4 LED bulb 1,2w	230 AC / E27 Bulb max 60w

Only manufactured on request. Contact Casolux for more information.

Casolux Marine light

Marine light system

Win up/down





Optional with only light upwards or downwards



Product	Power	Input	Material
WIN-UP/DOWN	2xGU10 max35w	230 AC / Optional 10-30 V DC	SS

Only manufactured on request. Contact Casolux for more information.



Marian up/down



Product	Power	Input	Material
MARIAN-UP/DOWN	2x3w	10-18 V DC / 20-28 V DC	SS

Only manufactured on request. Contact Casolux for more information.


Waki up/down



Product	Power	Input	Material
WAKI-UP/DOWN	1,2w	230 AC / Optional 10-30 V DC	SS

Only manufactured on request. Contact Casolux for more information.


Waki tube



Product	Power	Input	Material
WAKI-TUBE	5w	230 AC / Optional 10-30 V DC	SS

Only manufactured on request. Contact Casolux for more information.


Wilma



Product	Power	Input	Material
WILMA	3w	230 AC / Optional 10-30 V DC	SS

Only manufactured on request. Contact Casolux for more information.

Giulia



Can be made with printed-film surface with any requested motiv.



Product	Power	Input	Material
GIULIA-SS	3w	230 AC / Optional 10-30 V DC	SS/Acrylic

Only manufactured on request. Contact Casolux for more information.

Hanne small up/down



Optional in round shape and other sizes



Product	Power	Input	Material
HANNE-S-UP/DOWN	2x3w	230 AC / Optional 10-30 V DC	Alu

Only manufactured on request. Contact Casolux for more information.

Ward




Product	Power	Input	Material
Ward	1w	350mA	Alu/SS

Only manufactured on request. Contact Casolux for more information.



West Up/Down



mm	A	B	C	D
S	100	100	50	60
M	80	100	50	60
L	80	150	50	60




IP	angle	Lm/w	H	CCT	CRI	Indoor/Outdoor
65	2x60°	85	50 000	3000 K	>80	Indoor/Outdoor

Product	Power	Input	Material
WEST-UP/DOWN-S	2x5w	220-240 V AC	SS
WEST-UP/DOWN-M	2x5w	220-240 V AC	SS
WEST-UP/DOWN-L	2x5w	220-240 V AC	SS

Only manufactured on request. Contact Casolux for more information.

West Special Up/Down



mm	A	B	C	D
S	80	150	50	60
L	100	200	50	60




IP	angle	Lm/w	H	CCT	CRI	Indoor
20	2x60°	115	50 000	3000 K	>80	Indoor

Product	Power	Input	Material
WEST-SPECIAL-S	2x5w	220-240 V AC	SS
WEST-SPECIAL-L	2x5w	220-240 V AC	SS

Only manufactured on request. Contact Casolux for more information.

West Square Up/Down



mm	A	B	C	D
S	80	100	50	60
M	100	100	50	60




IP	angle	Lm/w	H	CCT	CRI	Indoor/Outdoor
65	2x60°	86	50 000	3000 K	>80	Indoor/Outdoor

Product	Power	Input	Material
WEST-SQUARE-S	2x5w	220-240 V AC	SS
WEST-SQUARE-M	2x5w	220-240 V AC	SS

Only manufactured on request. Contact Casolux for more information.

West Surface



mm	SMALL	LARGE
A	80	150
B	120	300



IP	angle	Lm/w	H	CCT	CRI	Indoor/Outdoor
65	60°	110	50 000	3000 K	>80	Indoor/Outdoor


Product	Power	Input	Material
WEST-SURFACE-S	5w	220-240 V AC	SS
WEST-SURFACE-L	15w	220-240 V AC	SS

Only manufactured on request. Contact Casolux for more information.

Casolux Marine light

Marine light system

Wade Special



Ø28




IP 20	Lm/w 60	H 50 000	CCT K 3000	CRI >80	Indoor	USB 5V, 1A
-----------------	-------------------	--------------------	-------------------------	-------------------	---------------	----------------------

Product	Power	Input	Material
WADE-SPECIAL	3w	220-240 V AC	Alu/SS

Only manufactured on request. Contact Casolux for more information.

Wade Small Round



WADE-SMALL
Ø25mm




WADE-SMALL
Ø28mm

IP 20	Lm/w 85	H 50 000	CCT K 3000	Indoor
-----------------	-------------------	--------------------	-------------------------	---------------

Product	Power	Input	Material
WADE-S-Ø25	1w	220-240 V AC	Alu/SS
WADE-S-Ø28	1w	220-240 V AC	Alu/SS

Only manufactured on request. Contact Casolux for more information.

Wade Small Square




WADE-SQUARE
25x25

IP 20	Lm/w 85	H 50 000	CCT K 3000	Indoor
-----------------	-------------------	--------------------	-------------------------	---------------

Product	Power	Input	Material
WADE-S-SQUARE	1w	220-240 V AC	Alu/SS

Only manufactured on request. Contact Casolux for more information.

Wade Large




IP 20	Lm/w 41	H 50 000	CCT K 3000	Indoor	USB 5V, 1A
-----------------	-------------------	--------------------	-------------------------	---------------	----------------------

Product	Power	Input	Material
WADE-L	3w	220-240 V AC	Alu/SS

Only manufactured on request. Contact Casolux for more information.



Wade Surface



IP 20	Lm/w 113	H 50 000	CCT 3000 K	Indoor	USB 5V, 1A
-----------------	--------------------	--------------------	----------------------	---------------	----------------------


Product	Power	Input	Material
WADE-SURFACE	1w	220-240 V AC	Alu/SS

Only manufactured on request. Contact Casolux for more information.

Wai Small



Small



IP 20	Lm/w 85	H 50 000	CCT 3000 K	Indoor
-----------------	-------------------	--------------------	----------------------	---------------


Product	Power	Input	Material
WAI-SMALL	3w	220-240 V AC	Alu/SS

Only manufactured on request. Contact Casolux for more information.

Wai Large



Large




IP 20	Lm/w 48	H 50 000	CCT 3000 K	Indoor
-----------------	-------------------	--------------------	----------------------	---------------

Product	Power	Input	Material
WAI-LARGE	1w	220-240 V AC	Alu/SS

Only manufactured on request. Contact Casolux for more information.

Wren



IP 20	Lm/w 87	H 50 000	CCT 3000 K	Indoor
-----------------	-------------------	--------------------	----------------------	---------------


Product	Power	Input	Material
WREN	3w	220-240 V AC	SS

Only manufactured on request. Contact Casolux for more information.

Casolux Marine light

Marine light system


Winry



Product	Power	Input	Material
WINRY	3w+2,2w	220-240 V AC	Alu/SS

Only manufactured on request. Contact Casolux for more information.

Bedside - Wireless charger



Wireless charger and USB charger




Product	Frame	Power	Input	Material
BEDSIDE-WIRELESS-BLACK	Alu	1,5w	230 AC / 10-32 V DC	Alu
BEDSIDE-WIRELESS-WHITE	Alu	1,5w	230 AC / 10-32 V DC	Alu

Only manufactured on request. Contact Casolux for more information.

Olivia square



OLIVIA SQUARE SMALL
Stainless steel (SS)



OLIVIA SQUARE
Aluminium White (Alu-WH)




Product	IP	Frame	Power	Input	Material
OLIVIA-SQ-SMALL	67	SS	3w	12-24 V DC	SS
OLIVIA-SQUARE	65	Alu-WH	3w	230 AC / 12-24 V DC	Alu

Only manufactured on request. Contact Casolux for more information.

Olivia round



OLIVIA ROUND SMALL
Stainless steel (SS)



OLIVIA ROUND Aluminium White (Alu-WH) OLIVIA ROUND SMALL Aluminium White (Alu-WH)




Product	IP	Frame	Power	Input	Material
OLIVIA-RO-SMALL	67	SS	3w	12-24 V DC	SS
OLIVIA-RO-SMALL	65	Alu-WH	3w	230 AC / 12-24 V DC	Alu
OLIVIA-ROUND	65	Alu-WH	3w	230 AC / 12-24 V DC	Alu

Only manufactured on request. Contact Casolux for more information.



Wright





IP	Lm/w	H	CCT	K	Indoor
20	60	50 000	3000		

Product	Power	Input	Material
WRIGHT	3w	220-240 V AC	Alu/SS

Only manufactured on request. Contact Casolux for more information.

Bornholm 100




Stainless Steel (SS)

IP	angle	angle	Lm/w	H	CCT	K	CRI	Dim	Indoor	Driver
67	120°	40°	90	50 000	2700		>85	PWM		

Product	Beam angle	Frame	Power	Input	Material
BORNHOLM-100	120°	SS	3w	350mA	SS/Alu
BORNHOLM-100	40°	SS	3w	500mA	SS/Alu

Only manufactured on request. Contact Casolux for more information.

Bornholm 230



Stainless Steel (SS)

IP	angle	Lm/w	H	CCT	K	CRI	Dim	Indoor	Driver
67	120°	90	50 000	2700		>85	PWM		

Product	Beam angle	Frame	Power	Input	Material
BORNHOLM-230	120°	SS	20w	750mA	SS/Alu


Only manufactured on request. Contact Casolux for more information.



Casolux Marine light

Marine light system

Malou 90




Stainless steel (SS)



Product	Frame	Power	Input	Material
MALOU-90	SS	6w	500mA	SS/Alu
MALOU-90-DUO	SS	6w/6w	500mA	SS/Alu

Only manufactured on request. Contact Casolux for more information.

Gitte




Stainless Steel (SS)



Product	Beam angle	Frame	Power	Input	Material
GITTE	120°	Alu	6w	350mA	SS/Alu

Only manufactured on request. Contact Casolux for more information.


Dita



Product	Frame	Power	Input	Material
DITA	Alu-BL	15w	200-240 V AC	Alu

Only manufactured on request. Contact Casolux for more information.

Dita Double Square





Product	Frame	Power	Input	Material
DITA-DOUBLE-SQ	Alu-BL	12w	200-240 V AC	Alu

Only manufactured on request. Contact Casolux for more information.



Lilleholm 90




IP 55	angle 90°	Lm/w 90	H 40 000	CCT K 2700	CRI >90	Dim PWM	Indoor	Driver
----------	--------------	------------	-------------	------------------	------------	------------	--------	--------

Product	Frame	Power	Input	Material
LILLEHOLM-90	SS / SS-BR	10w	350mA	SS/Alu

Only manufactured on request. Contact Casolux for more information

Lilleholm 205




Aluminium White (WH)

IP 55	angle 90°	Lm/w 95	H 50 000	CCT K 3000	CRI >90	Dim PWM	Indoor	Driver
----------	--------------	------------	-------------	------------------	------------	------------	--------	--------

Product	Frame	Power	Input	Material
LILLEHOLM-205	WH (RAL 9003)	30w	840mA	Alu
LILLEHOLM-205	WH (RAL 9010)	30w	840mA	Alu

Only manufactured on request. Contact Casolux for more information

Devi



mm	A	B
Ø100	100	90
Ø120	120	100
Ø150	150	110




IP 65	angle 60°	Lm/w 115	H 50 000	CCT K 3000	CRI >80
----------	--------------	-------------	-------------	------------------	------------

Product	Frame	Power	Input	Material
DEVI-Ø100	SS	10w	220-240 V AC	SS
DEVI-Ø120	SS	15w	220-240 V AC	SS
DEVI-Ø150	SS	20w	220-240 V AC	SS

Only manufactured on request. Contact Casolux for more information.

Dia



mm	Ø80	Ø100	Ø120	Ø150
A	80	100	120	150
B	80	85	95	110



IP 20/65	angle 60°	Lm/w 115	H 50 000	CCT K 3000	CRI >80
-------------	--------------	-------------	-------------	------------------	------------


Product	IP	Frame	Power	Input	Material
DIA-Ø80	20/65	SS	10w	220-240 V AC	SS
DIA-Ø100	65	SS	10w	220-240 V AC	SS
DIA-Ø120	65	SS	15w	220-240 V AC	SS
DIA-Ø150	65	SS	20w	220-240 V AC	SS

Only manufactured on request. Contact Casolux for more information.




Motorhome lights

Rikke 1,3w Non Dimmable



Product	Frame	Power	Input Volt	Material
RIKKE	CH	1,3W	10-32V AC/DC	Plastic
RIKKE	WH	1,3W	10-32V AC/DC	Plastic


Rikke 1,5w Dimmable



Product	Frame	Power	Input Volt	Material
RIKKE-DIM	CH / WH	1,5W	10-32V AC/DC	Plastic
RIKKE-DIM-RED	CH / WH	1,5W ●	10-32V AC/DC	Plastic



Rie




	Rie Small	Rie
A	Ø48mm	Ø70mm
B	9,5mm	9,5mm



RIE-SMALL






RIE



Product	Frame	Power	Input	Material
RIE-SMALL	Plastic-Chrome	1w	10-18 / 10-30 V DC	Plastic
RIE	Plastic-Chrome	1,8w	10-18 / 10-30 V DC	Plastic

Only manufactured on request. Contact Casolux for more information.


Molly Downlight - w / Touch



Product	Frame	Power	Input	Material
MOLLY-DOWNLIGHT	Plastic-Chrome	2w	12 V DC	Plastic

Only manufactured on request. Contact Casolux for more information.

Molly - Round - Mini Panel



MOLLY ROUND
Steel (S)




Steel and plastic body.
Magnetic front frame



Product	Frame	Power	Input	Material
MOLLY-ROUND	S	2,6w	10,5-16,5 / 10-30 V DC	Plastic/Steel

Only manufactured on request. Contact Casolux for more information.

Molly - Square - Mini Panel



MOLLY SQUARE
Steel (S)




Product	Frame	Power	Input	Material
MOLLY-SQUARE	S	2,6w	10,5-16,5 / 10-30 V DC	Plastic/Steel

Only manufactured on request. Contact Casolux for more information.

Casolux Marine light

Marine light system

Mona - Plastic Panel light



	Mini	Medium
A	170mm	270mm
B	45mm	65mm
C	17mm	17mm



MOANA-MINI




MOANA-MEDIUM



Product	Power	Input	Material
MOANA-MINI-PANEL	2,4w	10-30 V DC	Alu/Plastic
MOANA-MEDIUM-PANEL	4,8w	10-30 V DC	Alu/Plastic

Mona - Aluminum Panel Light




On / OFF Touch switch



Product	Power	Input	Material
MOANA-LIGHT-BAR-CW (4000K)	6w	10-32 V DC	Alu/Plastic
MOANA-LIGHT-BAR-WW(3000K)	6w	10-32 V DC	Alu/Plastic


Mocca - Square - Mini Panel



MOCCA-SQUARE
Grey (GR)



MOCCA-SQUARE
Black (BL)




Plastic body in Black.
Magnetic front frame



Product	Frame	Power	Input	Material
MOCCA-SQUARE	GR	2,4w	10,5-16,5 / 10-30 V DC	Plastic/Alu
MOCCA-SQUARE	BL	2,4w	10,5-16,5 / 10-30 V DC	Plastic/Alu

Only manufactured on request. Contact Casolux for more information.

Mocca - Rectangel - Mini Panel



mm	A	B	C
MOCCA 100x300	100	300	7
MOCCA 65x200	65	200	7
MOCCA 110x190	110	190	7



MOCCA-RECTANGEL
100 x 300 Grey (GR)



MOCCA-RECTANGEL
65 x 200 Steel (S)



MOCCA-RECTANGEL
110 x 190 Steel (S)



MOCCA-RECTANGEL
65 x 200 Black (BL)


Steel or Plastic body.
Magnetic front frame



Product	Frame	Power	Input	Material
MOCCA-RECTANGEL-100x300	GR	7,2w	10,5-16,5 / 10-30 V DC	Plastic/Alu
MOCCA-RECTANGEL-65x200	S / BL	4w	10,5-16,5 / 10-30 V DC	Plastic/Steel
MOCCA-RECTANGEL-110x190	S	4,8w	10,5-16,5 / 10-30 V DC	Plastic/Steel

Only manufactured on request. Contact Casolux for more information.

Cabinet light - Square





Product	Power	Input	Material
CABINET-SQUARE-192x112	6w	10-16 V DC	Alu



Waco




News




Product	Power	Input	Material
WACO-TOUCH-DOWN	3w	10-30 V DC	Alu

Casolux Marine light


Marine light system



LED Flexibel Strip IP Grade




COB Led-Flexible Strip - IP20



Product	Led's pr.meter	Power	Input
COB-IP20-5MM	480 pcs	4 / 7 w/m	12 / 24 V DC
COB-IP20-8MM	480 pcs	9 w/m	12 / 24 V DC
COB-IP20-10MM	480 pcs	10 w/m	12 / 24 V DC

Lenghts/Watts/CCT can be manufactured on request. Contact Casolux for more information.


COB Led-Flexible Strip - RGB - IP20



Product	Led's pr.meter	Power	Input
COB-IP20-RGB	896 pcs	20w/m	12 / 24 V DC

Only manufactured on request. Contact Casolux for more information.

COB Led-Flexible Silicone Strip - IP67





UV protected

Product	Led's pr.meter	Power	Input
COB-IP67-10x5	480 pcs	4 / 7 w/m	12 / 24 V DC

Only manufactured on request. Contact Casolux for more information.

COB Led-Flexible Silicone Strip - IP67 - Opal Silicone Sleeve





UV protected



Product	Led's pr.meter	Power	Input
COB-IP67-10x5-opal	480 pcs	4 / 7 w/m	12 / 24 V DC
Only manufactured on request. Contact Casolux for more information.			

COB Led-Flexible Silicone Strip - IP68




UV protected



Product	Led's pr.meter	Power	Input
COB-IP68-10x5	480 pcs	4 / 7 w/m	12 / 24 V DC
Only manufactured on request. Contact Casolux for more information.			

Led-Flexible PU Strip 8x9,6mm Sideway 10W IP68



Saltwater, UV and High temperature resistant.




Product	Lenght	Power	Input
CALL24V-8x9,5	5m	8w/m	24 V DC
Only manufactured on request. Contact Casolux for more information.			

Led-Flexible PU Strip 10x10mm 10W IP68



Saltwater, UV and High temperature resistant.




Saltwater, UV and High temperature resistant.



Product	Power	Input
CALL24V-IP68-10x10	10w/m	24 V DC
CALL24V-IP68-10x10-WW/RED	10w/m	24 V DC
Only manufactured on request. Contact Casolux for more information.		


Led-Flexible High Power Strip - IP20



Product	Led's pr.meter	Power	Input
Line LED-9,6W-IP20	160 pcs	9,6w/m	12 / 24 V DC

Lenghts/Watts/CCT can be manufactured on request. Contact Casolux for more information.


Led-Flexible Strip - IP54



Product	Led's pr.meter	Power	Input
CALL-12	60 pcs	4,8w/m	12 V DC
CALL-24	60 pcs	4,8w/m	24 V DC

Lenghts/Watts/CCT can be manufactured on request. Contact Casolux for more information.


Led-Flexible PU Glue Potted Strip - IP64



Product	Led's pr.meter	Power	Input
CALL-PU-GLUE	120 pcs	9,6w/m	12 / 24 V DC

Lenghts/Watts/CCT can be manufactured on request. Contact Casolux for more information.


Led-Flexible Side View PU Glue Potted Strip - IP64



Product	Led's pr.meter	Power	Input
CALL-SIDEVIEW-PU-GLUE	60 pcs	4,8w/m	12 / 24 V DC

Lenghts/Watts/CCT can be manufactured on request. Contact Casolux for more information.


Led-Flexible - Milky White Silicone Strip - IP65



Product	Led's pr.meter	Power	Input
CALL-24-MILKY-FLAT	280 pcs	8w/m	24 V DC

Lenghts/Watts/CCT can be manufactured on request. Contact Casolux for more information.

Led-Flexible Silicone Strip - IP67




Product	Led's pr.meter	Power	Input
CALL-IP67-R-10x5	60 pcs	4,8w/m	12 / 24 V DC

Lenghts/Watts/CCT can be manufactured on request. Contact Casolux for more information.

Led-Flexible Silicone NEON Strip - 10x10 - w/Wings - IP54



News




UV and Flame resistant.




Product	Led's pr.meter	Power	Input
CALL-NEON-WINGS-10x10	120 pcs	8,8w/m	24 V DC

Only manufactured on request. Contact Casolux for more information.

Led-Flexible Silicone NEON Strip - Sideway - w/Wings - IP54



News



	Small	Medium
A	3mm	6mm
B	6mm	12mm



3 x 6mm



6x12mm



UV and Flame resistant.



Product	Led's pr.meter	Power	Input
CALL-NEON-WINGS-3x6	120 pcs	5w/m	24 V DC
CALL-NEON-WINGS-6x12	120 pcs	5w/m	24 V DC

Only manufactured on request. Contact Casolux for more information.

Led-Flexible - Silicone Neon Strip - Round - IP65



	Small	Medium
A	Ø15mm	Ø22mm




UV protected





Product	CALL-NEON-ROPE-Ø15	Input	24 V DC
	CALL-NEON-ROPE-Ø22		24 V DC
Only manufactured on request. Contact Casolux for more information.			

Led-Flexible Silicone NEON Strip - 6x6mm - IP67



Product	CALL-24-NEON-6x6	Led's pr.meter	210 pcs	Power	6-7w/m	Input	24 V DC
Only manufactured on request. Contact Casolux for more information.							

Led-Flexible Silicone NEON Strip - 10x10mm - IP67




Saltwater, UV and Flame resistant.




Product	CALL-NEON-4W-10x10	Led's pr.meter	150 pcs	Power	4w/m	Input	12 / 24 V DC
Lengths/Watts/CCT can be manufactured on request. Contact Casolux for more information.							

Led-Flexible Silicone NEON Strip 4x7 - Sideway - IP67



Product	CALL24V-NEON-SIDWAY-4x8	Led's pr.meter	210 pcs	Power	7,7w/m	Input	24 V DC
Only manufactured on request. Contact Casolux for more information.							


Led-Flexible Silicone NEON Strip - 4x11mm - Sideway - IP67



Product	Led's pr.meter	Power	Input
CALL-MILKY-SIDWAY	128 pcs	7,6w/m	12 / 24 V DC

Lenghts/Watts/CCT can be manufactured on request. Contact Casolux for more information.


Led-Flexible Silicone NEON Strip - 4,2x10,4mm - Sideway - IP67



Product	Led's pr.meter	Power	Input
CALL-4,2x10,4-3M TAPE	128 pcs	7,6w/m	12 / 24 V DC

Lenghts/Watts/CCT can be manufactured on request. Contact Casolux for more information.

Led-Flexible Silicone NEON Strip - 8x7mm - Sideway - IP67



Saltwater, UV and Flame resistant.




Product	Led's pr.meter	Power	Input
CALL12V-NEON-8x7	140 pcs	4w/m	12 V DC
CALL24V-NEON-8x7	140 pcs	4w/m	24 V DC

Lenghts/Watts/CCT can be manufactured on request. Contact Casolux for more information.

Led-Flexible Silicone NEON Strip - 3D Bending - IP67



News



Saltwater, UV and Flame resistant.



	Small	Medium	Large
A	8mm	10mm	16mm
B	8mm	10mm	15mm



Product	Led's pr.meter	Power	Input
CALL24v-3D-8x8	120 pcs	10w/m	24 V DC
CALL24v-3D-10x10	120 pcs	10w/m	24 V DC
CALL24v-3D-16x15	120 pcs	10w/m	24 V DC

Only manufactured on request. Contact Casolux for more information.

Casolux Marine light

Marine light system


Drejoe Tri Proof IP69K



Product	Power	Input	Material
DREJOE-XSMALL	15w	230 V AC / 24 V DC / 10-32 V DC	SS / PC / HDPE
DREJOE-SMALL	20w	230 V AC / 24 V DC / 10-32 V DC	SS / PC / HDPE


Other Lengths/Watts can be manufactured on request. Contact Casolux for more information.

Roemoe



Product	Power	Input	Material
ROEMOE-SMALL	16w	100-270 V AC	Alu
ROEMOE-LARGE	32w	100-270 V AC	Alu


Barsoe



Product	Power	Input	Material
BARSOE	L	W	D
SPECIAL	108mm	108mm	59mm
MEDIUM	80mm	300mm	65mm
BARSOE-MEDIUM-COMBO	72w	10-30 V DC	Alu
BARSOE-SPECIAL-SPOT	48w	10-30 V DC	Alu
BARSOE-SPECIAL-FLOOD	48w	10-30 V DC	Alu

Other Lengths/Watts can be manufactured on request. Contact Casolux for more information.

Mega Flood Light



Saltwater and UV resistant.




Product	Power	Input	Material
MEGA-FLOODLIGHT	350w	100-277 V AC	Alu
MEGA-FLOODLIGHT	600w	100-277 V AC	Alu


Only manufactured on request. Contact Casolux for more information.



Langeland



LANGELAND ALUMINUM



LANGELAND SS




Stainless Steel (SS)

Gray Aluminium (Alu)




Product	Power	Input Volt	Material
LANGELAND-SS	11,5w	24 V DC	SS
LANGELAND-Alu	11,5w	24 V DC	Alu

Underwater Drain Light



Product	Power	Input	Material
UNDERWATER-4500K	6w	12V DC	PA
UNDERWATER-BLUE	6w	12V DC	PA

Underwater Light Surface Mounted



	Small	Large
Length	210mm	290mm
Width	80mm	110mm
Depth	30mm	30mm




Small

Large



Product	Power	Input	Material
UNDERWATER-SMALL	10w	12V AC/DC	PLA
UNDERWATER-LARGE	20w	12V AC/DC	PLA

Spirholm



Stainless Steel (SS)



Product	Power	Input	Material
SPIRHOLM	15w	24 V DC	SS

Only manufactured on request. Contact Casolux for more information.

Casolux Marine light

Marine light system

Copyright Rolf Nachbar



Illuminated Sign



Customized LED illuminated signs.


Three-dimensional lettering, personalized logos and symbol design.
316 grade mirror-polished stainless steel.
Halo light effects, side or edge lighting, back lighting or front lighting.

Contact tg@casolux.com for more information.



Elin small

Magnetic induction



Optional in different light colours and beam angles

Electromagnetic induction plug and socket. No cable



Product	Power	Input	Material
ELIN-SMALL	3w	230 V AC / 24 V DC	SS/Nylon

Only manufactured on request. Contact Casolux for more information.

Cabinet light - Round



Bottom w/charger input

Top w/Finger Touch



Bracket for screw, with magnet and 3M tape


- Short touch:
- 1 4000K
 - 2 6000K
 - 3 3000K
 - 4 flashing light
 - 5 OFF
- Long press: Stepless dimming



Product	Power	Battery	Input	Material
CABINET-RO	2,3w	3,7 V. 2000mAh	5 V. 800 mA	Alu

Pia Magnetic

Emergency light with Remote control



Micro USB input

- Step:
- 1 White light 3%
 - 2 White light 100%
 - 3 OFF

- Dobble press for Red light
- 1 Red light 100%
 - 2 flashing light OFF
 - 3 OFF

Long press Power off




Infrared Remote control

Product	Power	Battery	Input	Material
PIA-REMOTE	1w	3,7 V. 2000mAh	5 V. 700 mA	PC

Pia

Emergency light and Powerbank



	PIA SMALL	PIA LARGE
Length	143mm	262mm
Weight	130g	210g



PIA SMALL
In magnet holder



PIA LARGE

- PIA-SMALL
- Step:
- 1 White light 10%
 - 2 White light 100%
 - 3 Red light 100%
 - 4 Red flash 100%
 - 5 SOS 100%
 - 6 OFF

- PIA LARGE
- Step:
- 1 White light 8%
 - 2 White light 30%
 - 3 White light 100%
 - 4 Flash 8%
 - 5 OFF



Micro USB input



USB output

Product	Power	Battery	Input	Material
PIA-SMALL	1w	3,7 V. 2600mAh	5 V. 800 mA	PC
PIA-LARGE	3w	3,7 V. 5200mAh	5 V. 2000 mA	PC

Casolux Marine light

Marine light system

Led Bulb

G4 Replacement for halogen bulbs



CABU-G4-M11



CABU-G4-M12



CABU-G4-M13



CABU-G4-M14



CABU-G4-M15




CABU-G4-M17



CABU-G4-M18



CABU-G4-HL



Product code	Power	Input Volt	Lumen	Beam Angle	(A)	(B)	(C)
CABU-G4-M11	0,8w	10-30 V DC	60-90	360	10mm	19mm	30mm
CABU-G4-M12	1w	10-30 V DC	110-130	360	10mm	29mm	39mm
CABU-G4-M13	1w	10-30 V DC	80-100	360	10mm	26mm	36mm
CABU-G4-M14	1,1w	10-30 V DC	90-110	180	11mm	24mm	30mm


Product code	Power	Input Volt	Lumen	Beam Angle	(A)	(B)	(C)
CABU-G4-M15	1,5w	10-30 V DC	150-170	360	13mm	28mm	38mm
CABU-G4-M17	1,1w	10-30 V DC	100-120	360	10mm	19mm	30mm
CABU-G4-M18	1,6w	10-30 V DC	180-200	180	10mm	29mm	39mm
CABU-G4-HL	2,5w	10-30 V DC	250-300	360	13mm	33mm	43mm

LED Power Supply 8/36W


LED Power Supply 150W



CAD-8-12




CAD-35-12



Product code	Power	Efficiency	Input Volt	Output Volt
CAD-8-12	8,04w	>80%	100-240 AC	12 DC - 0,67A
CAD-35-12	36w	>83%	100-240 AC	12 DC - 3,0A



CAD-150



Available as no dim, 1-10V, 10v PWM signal and resistance.

Product code	Power	Efficiency	Input Volt	Output Volt
CAD-150W-12	150w	>91,5%	100-240 AC	12 DC - 12,5A
CAD-150W-24	150w	>93%	100-240 AC	24 DC - 6,3A

LED Dimmer / RGB/TW

LED Dimmer / Bluetooth



CAD-1248-1CH



CAD-1248-2CH



CAD-1248-3CH



Product code	Dimension	Efficiency	Input Volt	Output
CAD-1248-1CH	45x58x25mm	>95%	12-24 DC	1 x 8A max
CAD-1248-2CH	44x44x25mm	>95%	12-48 DC	2 x 1,6A max
CAD-1248-3CH	44x44x25mm	>95%	12-48 DC	3 x 1,6A max



CADB-1224-4CH-BLE



CADB-1248-1CH-BLE



Bluetooth dimming App. BlueDimmer



Product code	Dimension	Efficiency	Input Volt	Output
CADB-1224-4CH-BLE	88x54x26mm	>95%	12-24 DC	4 x 5A
CADB-1248-1CH-BLE	44x57x25mm	>95%	12-48 DC	1 x 8A

LED Driver

DC-DC Converter



Small



Medium



Large



Product code	Power	Input Volt	Output Volt
LED DRIVER SMALL	20w	200-240 AC	24 DC - 0,83A
LED DRIVER MEDIUM	50w	200-240 AC	24 DC - 2,08A
LED DRIVER LARGE	75w	200-240 AC	24 DC - 3,13A



30W



200W



480W



Product code	Power	Efficiency	Input Volt	Output Volt
CA-DC/DC-30W-12	30w	>86,5%	9-36 DC	12 DC - 2,5A
CA-DC/DC-30W-24	30w	>86,5%	9-36 DC	24 DC - 5A
CA-DC/DC-200W-12	200w	>91%	9-36 DC	12 DC - 16,7A
CA-DC/DC-480W-12	480w	>86%	19-72 DC	12 DC - 21A



Sønderborg
Denmark

The background of the entire page is black, with several thin, white, curved lines that sweep across the top and left sides, creating a sense of motion and light. These lines vary in length and curvature, some starting from the top left and moving towards the right, while others are more vertical or diagonal.

CASOLUX®

The lights of tomorrow

info@casolux.com

www.casolux.com

Tlf. +45 7445 0005

6400 Sønderborg

Denmark